Braytron

LIGHTING & ELECTRICAL
PRODUCT CATALOGUE

www.braytron.com

2025



Indoor

Outdoor

Lighting

Solar Lighting



Rechargeables





Decorative

Bulbs & Tubes





BRAYTRON GLOBAL Head Office



BRAYTRON GLOBAL Head Office

Braytron

ABOUT US

Welcome to Braytron – Illuminating Excellence in Lighting and Electrical Solutions!

For 18 years, Braytron has been at the forefront of the lighting and electrical industry, dedicating itself to providing top-notch products that illuminate spaces and power connections with unmatched precision and reliability. Our journey began with a commitment to quality, and today,we stand proud as a global leader in the field.

With a rich legacy spanning nearly two decades, Braytron has been exporting its superior lighting and electrical products to more than 40 countries, with a primary focus on the European market. Our extensive catalog boasts over 1500 different products, each meticulously designed and crafted to meet the diverse needs of our discerning customers.

At Braytron, quality is not just a promise; it's a standard that defines us. Our products adhere to the rigorous standards set by Europe, ensuring that every item bearing the Braytron name is synonymous with excellence. We take pride in our unwavering commitment to delivering high-quality solutions that illuminate spaces and power connections seamlessly.

As we look ahead, Braytron remains dedicated to innovation, sustainability, and customer satisfaction. Our journey is illuminated by the trust and loyalty of our customers, and we continue to strive for excellence in every product we create.

Discover the brilliance of Braytron – where quality, innovation, and reliability converge to light up your world.

HEAD OFFICE
BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

EUROPE WAREHOUSE
BRAYTRON SRL
Bulevardul Iuliu Maniu, Nr.616, Sector 6,
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

BALKAN WAREHOUSE
BRAYTRON BALKAN DOO
Dimitrija Tucovica BB, 36300
Novi Pazar, Srbija
info@braytron.com

FACTORY
Eksioglu Mah. Saray Cad. No.7
Cekmekoy, Istanbul, Turkey
info@braytron.com

• Distribution network:
In order to provide the best service to its customers BRAYTRON set up its own warehouses and companies at different locations:
For more specific details please visit website; www.braytron.com



BRAYTRON ROMANIA



EUROPE WAREHOUSE


09


10


11


12


12


13


14


15


16


16


17


19


20


21


21


22


25


28


30


31


32


34


36


40


45


46


48


50


54


53


55


58


59


60


62


65


67


67


72


73


75


77


78


89


91


92


95


97


98


100


101


103


107


110


111


120


126


136


147


148


158


172


174


176


180


183


184


186


191


194


195


197


202


208


209


214


217


218


219


223


224


226


230


232


237


244


245



247


249


252


252


253


254


255


255


256


258


259


260


261


263


264


265


266


268


268


269


269


270


272


274


276


277


278


279


280


281


283


287


290


291


292


294


295


297


298


299

TECHNICAL LIGHTING







LNR300	BD60-00301	BD60-00311	BD60-00381	3CCT
	10W 3000K	10W 4000K	3CCT 10W	
	950lm Black	950lm Black	950lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



LNR600	BD60-00601	BD60-00611	BD60-00681	3CCT
	18W 3000K	18W 4000K	3CCT 18W	
	1850lm Black	1850lm Black	1850lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	







LNR900	BD60-00901	BD60-00911	BD60-00981	3CCT
	36W 3000K	36W 4000K	36W 3CCT	
	3890lm Black	3890lm Black	3890lm Black	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LNS110

BD60-01101	BD60-01111	BD60-01181
6W 3000K	6W 4000K	6W 3CCT
440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium





LNS220

BD60-01201	BD60-01211	BD60-01281
12W 3000K	12W 4000K	12W 3CCT
1020lm Black	1020lm Black	1020lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



LNS330

BD60-01301	BD60-01311	BD60-01381
18W 3000K	18W 4000K	18W 3CCT
1580lm Black	1580lm Black	1580lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium





LNS440

BD60-01401	BD60-01411	BD60-01481
24W 3000K	24W 4000K	24W 3CCT
2040lm Black	2040lm Black	2040lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





WSL110

BD60-03101	BD60-03111	BD60-03181
6W 3000K	6W 4000K	6W 3CCT
440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

3CCT



WSL250

BD60-03201	BD60-03211	BD60-03281
12W 3000K	12W 4000K	12W 3CCT
1020lm Black	1020lm Black	1020lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium

3CCT









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





TRC035	BD61-00101	BD61-00111	BD61-00181	3CCT
	6W 3000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 4000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 3CCT 440lm Black 48VDC CRI>90 IP20 Aluminium	





TRC045	BD61-00201	BD61-00211	BD61-00281	3CCT
	10W 3000K 810lm Black 48VDC CRI>90 IP20 Aluminium	10W 4000K 810lm Black 48VDC CRI>90 IP20 Aluminium	10W 3CCT 810lm Black 48VDC CRI>90 IP20 Aluminium	



TRC060	BD61-00301	BD61-00311	BD61-00381	3CCT
	18W 3000K 1580lm Black 48VDC CRI>90 IP20 Aluminium	18W 4000K 1580lm Black 48VDC CRI>90 IP20 Aluminium	18W 3CCT 1580lm Black 48VDC CRI>90 IP20 Aluminium	



3CCT

PDT030	BD62-00201	BD62-00211	BD62-00281	
	7W 3000K 520lm Black 48VDC CRI>90 IP20 Aluminium	7W 4000K 520lm Black 48VDC CRI>90 IP20 Aluminium	7W 3CCT 520lm Black 48VDC CRI>90 IP20 Aluminium	



3CCT

PDT100	BD62-00401	BD62-00481		
	7W 3000K 610lm Black 48VDC CRI>90 IP20 Aluminium	7W 3CCT 610lm Black 48VDC CRI>90 IP20 Aluminium		



3CCT - Color Temperature Changeable

3000K 4000K 6000K

CCT Switch

4000K 3000K 6000K

-20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BY41-00111

TR01-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-00121

TR01-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-00131

TR01-3M Black
Voltage 48VDC
IP20 Aluminium



BY41-00211

SR01-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-00221

SR01-2M Black
Voltage 48VDC
IP20 Aluminium



BY41-00421

RC01-2M Black
Voltage 48VDC
IP20 Aluminium



BY41-10101

Trimless Corner
CRC01 Black
Voltage 48VDC
IP20 Aluminium



BY41-10111

Trimless Corner
CRC02 Black
Voltage 48VDC
IP20 Aluminium



BY41-10121

Trimless Corner
CRC03 Black
Voltage 48VDC
IP20 Aluminium



BY41-10201

Surface Corner
SRC01 Black
Voltage 48VDC
IP20 Aluminium



BY41-10211

Surface Corner
SRC02 Black
Voltage 48VDC
IP20 Aluminium



BY41-10221

Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium



BY41-10401

Recessed Corner
CRC04 Black
Voltage 48VDC
IP20 Aluminium



BY41-90011

Straight Connector
ST01 Black
Voltage 48VDC
IP20 PC



BY41-90021

Corner Connector
CR01 Black
Voltage 48VDC
IP20 PC



BY41-90031

Power Socket
SC01 Black
Voltage 48VDC
IP20 PC



BY41-90041

Pendant
PD01 Black
IP20 Metal



BY41-90081

Steel Connector
For Surface
Silver IP20 Metal

Driver



BY03-21001

2A 100W 48VDC
220-240V
IP20 PC

BY03-22001

4A 200W 48VDC
220-240V
IP20 PC

CE LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

LNR300	BD60-10301	BD60-10311	BD60-20381	
LED	10W 3000K	10W 4000K	10W 3CCT	
	950lm Black	950lm Black	950lm Black	
F A G	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



BD60-1



BD60-2

NEW



3CCT

LNR600	BD60-10601	BD60-10611	BD60-20681	
LED	18W 3000K	18W 4000K	18W 3CCT	
	1850lm Black	1850lm Black	1850lm Black	
F A G	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



BD60-1



BD60-2

NEW



3CCT

LNR900	BD60-10901	BD60-10911	BD60-20981	
LED	36W 3000K	36W 4000K	36W 3CCT	
	3890lm Black	3890lm Black	3890lm Black	
F A G	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



BD60-1



BD60-2









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

LNS110

BD60-11101	BD60-11111	BD60-21181
6W 3000K	6W 4000K	6W 3CCT
440lm Black	440lm Black	440lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



3CCT

LNS220

BD60-11201	BD60-11211	BD60-21281
12W 3000K	12W 4000K	12W 3CCT
1020lm Black	1020lm Black	1020lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



3CCT

LNS330

BD60-11301	BD60-11311	BD60-21381
18W 3000K	18W 4000K	18W 3CCT
1580lm Black	1580lm Black	1580lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



SRC035

BD60-14001	BD60-14011	BD60-24081
7W 3000K	7W 4000K	7W 3CCT
630lm Black	630lm Black	630lm Black
48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

WSL110	BD60-13101	BD60-13111	BD60-23181	BD60-1
	6W 3000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 4000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 3CCT 440lm Black 48VDC CRI>90 IP20 Aluminium	BD60-2



3CCT

WSL250	BD60-13201	BD60-13211	BD60-23281	BD60-1
	12W 3000K 1020lm Black 48VDC CRI>90 IP20 Aluminium	12W 4000K 1020lm Black 48VDC CRI>90 IP20 Aluminium	12W 3CCT 1020lm Black 48VDC CRI>90 IP20 Aluminium	BD60-2

NEW





TRC035	BD61-10101	BD61-10111	BD61-20181	3CCT
	6W 3000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 4000K 440lm Black 48VDC CRI>90 IP20 Aluminium	6W 3CCT 440lm Black 48VDC CRI>90 IP20 Aluminium	

NEW



BD61-1



BD61-2



TRC045	BD61-10201	BD61-10211	BD61-20281	3CCT
	10W 3000K 810lm Black 48VDC CRI>90 IP20 Aluminium	10W 4000K 810lm Black 48VDC CRI>90 IP20 Aluminium	10W 3CCT 810lm Black 48VDC CRI>90 IP20 Aluminium	

NEW



BD61-1



BD61-2



TRC060	BD61-10301	BD61-10311	BD61-20381	3CCT
	18W 3000K 1580lm Black 48VDC CRI>90 IP20 Aluminium	18W 4000K 1580lm Black 48VDC CRI>90 IP20 Aluminium	18W 3CCT 1580lm Black 48VDC CRI>90 IP20 Aluminium	





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BY41-02011

TR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02021

TR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02031

TR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02111

SR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02121

SR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02131

SR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02211

SR03-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02221

SR03-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02231

SR03-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02311

RC02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-02321

RC02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-02331

RC02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01011

TR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01021

TR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01031

TR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01111

SR02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01121

SR02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01131

SR02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01211

SR03-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01221

SR03-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01231

SR03-3M Black
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01311

RC02-1M Black
Voltage 48VDC
IP20 Aluminium

BY41-01321

RC02-2M Black
Voltage 48VDC
IP20 Aluminium

BY41-01331

RC02-3M Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20511 for CCT

Trimless Corner
TRC02 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20611 for CCT

Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20711 for CCT

Recessed Corner
RCC02 Black
Voltage 48VDC
IP20 Aluminium

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





BY41-10511

Trimless Corner
TRC02 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-10611

Surface Corner
SRC03 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-10711

Recessed Corner
RCC02 Black
Voltage 48VDC
IP20 Aluminium

NEW





BY41-80011
BY41-81011 for CCT

Straight Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80021
BY41-81021 for CCT

L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80031
BY41-81031 for CCT

L Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80041
BY41-81041 for CCT

T Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80051
BY41-81051 for CCT

Cross Connector
SR02 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80061
BY41-81061 for CCT

Straight Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80071
BY41-81071 for CCT

Corner Connector
SC01 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80081
BY41-81081 for CCT

Power Cord
SC01 Black
Voltage 48VDC
IP20 PC

NEW





BY41-90101
BY41-81111 for CCT

Blind Cover
2M Black
IP20 PC

NEW





BY41-80091
BY41-81091 for CCT

End Socket
SC01 Black
Voltage 48VDC
IP20 PC

NEW





BY41-80101
BY41-81101 for CCT

Pendant
SD01 Black
Voltage 48VDC
IP20 Metal

NEW



BY41-90301
BY41-81121 for CCT

Spring
CRC04
IP20 Metal

NEW

Driver



BY03-21101
BY03-32101 for CCT

2A 100W 48VDC
220-240V
IP20 PC

NEW

Driver



BY03-22101

3.1A 150W 48VDC
220-240V
IP20 PC

NEW

Driver



BY03-32201 for CCT

3.1A 200W 48VDC
220-240V
IP20 PC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

LNR300	BD60-10300	BD60-10310	BD60-20380	
	10W 3000K	10W 4000K	10W 3CCT	BD60-1
	950lm White	950lm White	950lm White	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	BD60-2
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	

NEW



3CCT

LNR600	BD60-10600	BD60-10610	BD60-20680	
	18W 3000K	18W 4000K	18W 3CCT	BD60-1
	1850lm White	1850lm White	1850lm White	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	BD60-2
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



NEW



3CCT

LNR900	BD60-10900	BD60-10910	BD60-20980	
	36W 3000K	36W 4000K	36W 3CCT	BD60-1
	3890lm White	3890lm White	3890lm White	
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90	BD60-2
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium	



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

LNS110	BD60-11100	BD60-11110	BD60-21180
	6W 3000K	6W 4000K	6W 3CCT
	440lm White	440lm White	440lm White
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



3CCT

LNS220	BD60-11200	BD60-11210	BD60-21280
	12W 3000K	12W 4000K	12W 3CCT
	1020lm White	1020lm White	1020lm White
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



3CCT

LNS330	BD60-11300	BD60-11310	BD60-21380
	18W 3000K	18W 4000K	18W 3CCT
	1580lm White	1580lm White	1580lm White
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



NEW



SRC035	BD60-14000	BD60-14010	BD60-24080
	7W 3000K	7W 4000K	7W 3CCT
	630lm White	630lm White	630lm White
	48VDC CRI>90	48VDC CRI>90	48VDC CRI>90
	IP20 Aluminium	IP20 Aluminium	IP20 Aluminium



3CCT

3CCT - Color Temperature Changeable





LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

WSL110	BD60-13100	BD60-13110	BD60-23180	BD60-1
	6W 3000K 440lm White 48VDC CRI>90 IP20 Aluminium	6W 4000K 440lm White 48VDC CRI>90 IP20 Aluminium	6W 3CCT 440lm White 48VDC CRI>90 IP20 Aluminium	BD60-2



NEW



3CCT

WSL250	BD60-13200	BD60-13210	BD60-23280	BD60-1
	12W 3000K 1020lm White 48VDC CRI>90 IP20 Aluminium	12W 4000K 1020lm White 48VDC CRI>90 IP20 Aluminium	12W 3CCT 1020lm White 48VDC CRI>90 IP20 Aluminium	BD60-2



NEW





TRC035	BD61-10100	BD61-10110	BD61-20180	3CCT
	7W 3000K 440lm White 48VDC CRI>90 IP20 Aluminium	7W 4000K 440lm White 48VDC CRI>90 IP20 Aluminium	7W 3CCT 440lm White 48VDC CRI>90 IP20 Aluminium	

NEW



BD61-1



BD61-2



TRC045	BD61-10200	BD61-10210	BD61-20280	3CCT
	10W 3000K 810lm White 48VDC CRI>90 IP20 Aluminium	10W 4000K 810lm White 48VDC CRI>90 IP20 Aluminium	10W 3CCT 810lm White 48VDC CRI>90 IP20 Aluminium	

NEW



BD61-1



BD61-2



TRC060	BD61-10300	BD61-10310	BD61-20380	3CCT
	18W 3000K 1580lm White 48VDC CRI>90 IP20 Aluminium	18W 4000K 1580lm White 48VDC CRI>90 IP20 Aluminium	18W 3CCT 1580lm White 48VDC CRI>90 IP20 Aluminium	

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BY41-02010
TR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02020
TR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02030
TR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02110
SR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02120
SR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02130
SR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02210
SR03-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02220
SR03-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02230
SR03-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-02310
RC02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-02320
RC02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-02330
RC02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01010
TR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01020
TR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01030
TR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01110
SR02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01120
SR02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01130
SR02-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01210
SR03-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01220
SR03-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01230
SR03-3M White
Voltage 48VDC
IP20 Aluminium

NEW



BY41-01310
RC02-1M White
Voltage 48VDC
IP20 Aluminium

BY41-01320
RC02-2M White
Voltage 48VDC
IP20 Aluminium

BY41-01330
RC02-3M White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20510
Trimless Corner
TRC02 White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20610
Surface Corner
SRC03 White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-20710
Recessed Corner
RCC02 White
Voltage 48VDC
IP20 Aluminium

CE LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





BY41-10510

Trimless Corner
TRC02 White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-10610

Surface Corner
SRC03 White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-10710

Recessed Corner
RCC02 White
Voltage 48VDC
IP20 Aluminium

NEW





BY41-80010
BY41-81010 for CCT

Straight Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW





BY41-80020
BY41-81020 for CCT

L Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW





BY41-80030
BY41-81030 for CCT

L Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW





BY41-80040
BY41-81040 for CCT

T Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW





BY41-80050
BY41-81050 for CCT

Cross Connector
SR02 White
Voltage 48VDC
IP20 PC

NEW





BY41-80060
BY41-81060 for CCT

Straight Connector
SC01 White
Voltage 48VDC
IP20 PC

NEW





BY41-80070
BY41-81070 for CCT

Corner Connector
SC01 White
Voltage 48VDC
IP20 PC

NEW





BY41-80080
BY41-81080 for CCT

Power Cord
Voltage 48VDC
White IP20 PC

NEW





BY41-90101
BY41-81110 for CCT

Blind Cover
White
IP20 PC

NEW





BY41-80090
BY41-81090 for CCT

End Socket
SC01 White
Voltage 48VDC
IP20 PC

NEW



BY41-90401
BY41-81120

Spring
CRC04
IP20 Metal

NEW

Driver



BY03-21100
BY03-32100 for CCT

2A 100W 48VDC
220-240V
IP20 PC

NEW

Driver



BY03-22100

3.1A 150W 48VDC
220-240V
IP20 PC

NEW

Driver



BY03-32200 for CCT

3.1A 200W 48VDC
220-240V
IP20 PC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BY39-00121

SR1707-2M Black
IP20 Aluminium





BY39-00123

SR1707-2M Silver
IP20 Aluminium





BY39-00621

RC1707-2M Black
IP20 Aluminium





BY39-00623

RC1707-2M Silver
IP20 Aluminium





BY39-01123

CR1818-2M Silver
IP20 Aluminium





BY39-01423

TR15-2M Silver
IP20 Aluminium





BY39-01523

TR20-2M Silver
IP20 Aluminium



Suitable Models:
BY39-00121
BY39-00123
BY39-00621
BY39-00623
BY39-01123
BY39-01423

BY39-99901

Diffuser 2M Black
IP20 PC

NEW





BY39-00223

Diffuser 2M Black
IP20 PC

NEW





BY39-00221

Diffuser 2M Black
IP20 PC

NEW





BY39-00723

Diffuser 2M Black
IP20 PC

NEW





BY39-00721

Diffuser 2M Black
IP20 PC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Premium Series Led Tracklight

5 YEARS WARRANTY

Watt Changeable Switch

20W
30W
36W

CCT Changeable Switch

3000K
4000K
6000K



10°-60° Degree Adjustable Beam Angle

NEW



Shopline	BD40-01080	BD40-01081
	36W 3CCT 3600lm White 220-240V CRI>80 IP20 Aluminium 2-Wires	36W 3CCT 3600lm Black 220-240V CRI>80 IP20 Aluminium 2-Wires



3CCT

NEW



Shopline	BD40-01180	BD40-01181
	36W 3CCT 3600lm White 220-240V CRI>80 IP20 Aluminium 4-Wires	36W 3CCT 3600lm Black 220-240V CRI>80 IP20 Aluminium 4-Wires



3CCT

CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

Shopline	BD40-00480	BD40-00481
	15W 3CCT 1560lm White 220-240V CRI>80 IP20 Aluminium 2-Wires	15W 3CCT 1560lm Black 220-240V CRI>80 IP20 Aluminium 2-Wires



NEW



3CCT

Shopline	BD40-00580	BD40-00581
	15W 3CCT 1560lm White 220-240V CRI>80 IP20 Aluminium 4-Wires	15W 3CCT 1560lm Black 220-240V CRI>80 IP20 Aluminium 4-Wires



NEW



3CCT

Shopline	BD40-00680	BD40-00681
	30W 3CCT 2960lm White 220-240V CRI>80 IP20 Aluminium 2-Wires	30W 3CCT 2960lm Black 220-240V CRI>80 IP20 Aluminium 2-Wires



NEW



3CCT

Shopline	BD40-00780	BD40-00781
	30W 3CCT 2960lm White 220-240V CRI>80 IP20 Aluminium 4-Wires	30W 3CCT 2960lm Black 220-240V CRI>80 IP20 Aluminium 4-Wires



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-10600

Max.1x10W LED
Beta White
220-240V 2-Wires
IP20 Aluminium



BH04-60600

Max.1x10W LED
Beta White
220-240V 4-Wires
IP20 Aluminium





Bulb not included.
Suitable For GU10 BULB
50mm

BH04-10601

Max.1x10W LED
Beta Black
220-240V 2-Wires
IP20 Aluminium



BH04-60601

Max.1x10W LED
Beta Black
220-240V 4-Wires
IP20 Aluminium







Bulb not included.
Suitable For GU10 BULB
50mm

BH04-10606

Max.1x10W LED
Beta Golden
220-240V 2-Wires
IP20 Aluminium



BH04-60606

Max.1x10W LED
Beta Golden
220-240V 4-Wires
IP20 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Linex BD37-00180

10W 3CCT
1150lm White
220-240V CRI>90
IP20 Aluminium



3CCT





Linex BD37-00181

10W 3CCT
1150lm Black
220-240V CRI>90
IP20 Aluminium



3CCT



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





Linex BD37-00280

20W 3CCT
2200lm White
220-240V CRI>90
IP20 Aluminium



3CCT

NEW





Linex BD37-00281

20W 3CCT
2200lm Black
220-240V CRI>90
IP20 Aluminium



3CCT

NEW





Linex BD37-00380

30W 3CCT
2650lm White
220-240V CRI>90
IP20 Aluminium



3CCT

NEW





Linex BD37-00381

30W 3CCT
2650lm Black
220-240V CRI>90
IP20 Aluminium



3CCT

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Linex	BD63-00280	BD63-00281
	9W 3CCT 650lm White 220-240V CRI>90 IP20 Aluminium	9W 3CCT 650lm Black 220-240V CRI>90 IP20 Aluminium

3CCT





Linex	BD63-00380	BD63-00381
	18W 3CCT 1300lm White 220-240V CRI>90 IP20 Aluminium	18W 3CCT 1300lm Black 220-240V CRI>90 IP20 Aluminium

3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Premium NEW



Premium BA13-00880
8.5W 5 CCT
880lm A60 E27
220-240V CRI>80
IP20 Thermoplastic

25.000 HOURS
5 YEARS WARRANTY
5CCT
Slide Switch CCT

Premium NEW



Premium BA13-01080
10.5W 5 CCT
1160lm A60 E27
220-240V CRI>80
IP20 Thermoplastic

25.000 HOURS
5 YEARS WARRANTY
5CCT
Slide Switch CCT



Patent

5 YEARS WARRANTY

HIGH LUMEN OUTPUT

5 in 1
2700K
3000K
4000K
5000K
6500K

Premium NEW



Premium BA13-01380
13.5W 5 CCT
1520lm A65 E27
220-240V CRI>80
IP20 Thermoplastic

25.000 HOURS
5 YEARS WARRANTY
5CCT
Slide Switch CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Spotled BD01-00780

7W 3CCT
630lm White
220-240V CRI>80
IP54 PC



3CCT



IP54

Spotled BD01-00781

7W 3CCT
630lm Black
220-240V CRI>80
IP54 PC



3CCT

NEW



3 COLOUR INSIDE

IP54



3CCT

Minispot BH06-00289

3W 3CCT
210lm 3 Color
220-240V CRI>80
IP54 PC





3CCT - Color Temperature Changeable





LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP54

Downlight BD01-10180

9W 3CCT
820lm White
220-240V CRI>80
IP54 Aluminium+PC



3CCT

NEW



IP54

Downlight BD01-10181

9W 3CCT
820lm Black
220-240V CRI>80
IP54 Aluminium+PC



3CCT



NEW



IP54

Downlight BD01-10280

14W 3CCT
1200lm White
220-240V CRI>80
IP54 Aluminium+PC



3CCT

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Spotled	BD02-00300	BD02-00310	BD02-00330	BD02-00380
	3W 3000K	3W 4000K	3W 6500K	3W 3CCT
	200lm White	200lm White	200lm White	200lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC	IP20 PC

3CCT



Spotled	BD02-00301	BD02-00311	BD02-00331	BD02-00381
	3W 3000K	3W 4000K	3W 6500K	3W 3CCT
	200lm Black	200lm Black	200lm Black	200lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC	IP20 PC

3CCT



Spotled	BD02-00500	BD02-00510	BD02-00530	BD02-00580
	5W 3000K	5W 4000K	5W 6500K	5W 3CCT
	400lm White	400lm White	400lm White	400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC	IP20 PC

3CCT



Spotled	BD02-00501	BD02-00511	BD02-00531	BD02-00581
	5W 3000K	5W 4000K	5W 6500K	5W 3CCT
	400lm Black	400lm Black	400lm Black	400lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP20 PC	IP20 PC	IP20 PC	IP20 PC

3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Spotled	BD02-00700	BD02-00710	BD02-00730	BD02-00680
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC	7W 3CCT 630lm White 220-240V CRI>80 IP20 PC



Spotled	BD02-00701	BD02-00711	BD02-00731	BD02-00681
	7W 3000K 630lm Black 220-240V CRI>80 IP20 PC	7W 4000K 630lm Black 220-240V CRI>80 IP20 PC	7W 6500K 630lm Black 220-240V CRI>80 IP20 PC	7W 3CCT 630lm Black 220-240V CRI>80 IP20 PC







Spotled	BD02-01030	BD02-01080
	10W 6500K 770lm White 220-240V CRI>80 IP20 PC	10W 3CCT 770lm White 220-240V CRI>80 IP20 PC



Spotled	BD02-01081
	10W 3CCT 770lm Black 220-240V CRI>80 IP20 PC









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Spotled	BD02-10500	BD02-10510	BD02-10530	BD02-10580
	5W 3000K 400lm White 220-240V CRI>80 IP20 PC	5W 4000K 400lm White 220-240V CRI>80 IP20 PC	5W 6500K 400lm White 220-240V CRI>80 IP20 PC	5W 3CCT 400lm White 220-240V CRI>80 IP20 PC





Spotled	BD02-10501	BD02-10511	BD02-10531	BD02-10581
	5W 3000K 400lm Black 220-240V CRI>80 IP20 PC	5W 4000K 400lm Black 220-240V CRI>80 IP20 PC	5W 6500K 400lm Black 220-240V CRI>80 IP20 PC	5W 3CCT 400lm Black 220-240V CRI>80 IP20 PC



NEW



Spotled	BD02-10700	BD02-10710	BD02-10730	BD02-10680
	7W 3000K 630lm White 220-240V CRI>80 IP20 PC	7W 4000K 630lm White 220-240V CRI>80 IP20 PC	7W 6500K 630lm White 220-240V CRI>80 IP20 PC	7W 3CCT 630lm White 220-240V CRI>80 IP20 PC





Spotled	BD02-10701	BD02-10711	BD02-10731	BD02-10681
	7W 3000K 630lm Black 220-240V CRI>80 IP20 PC	7W 4000K 630lm Black 220-240V CRI>80 IP20 PC	7W 6500K 630lm Black 220-240V CRI>80 IP20 PC	7W 3CCT 630lm Black 220-240V CRI>80 IP20 PC









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3CCT

Dimmable

Spotled	BD02-00780	BD02-60780
	3CCT 7W 630lm White 220-240V CRI>80 IP20 PC	3CCT - Dimmable 7W 630lm White 220-240V CRI>80 IP20 PC





3CCT

Dimmable

Spotled	BD02-00781	BD02-60781
	3CCT 7W 630lm Black 220-240V CRI>80 IP20 PC	3CCT - Dimmable 7W 630lm Black 220-240V CRI>80 IP20 PC







3CCT

Spotled	BD02-00783
	3CCT 7W 630lm Silver 220-240V CRI>80 IP20 PC







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3CCT Dimmable

	BD02-10780	BD02-70780
Spotled	3CCT 7W 630lm White 220-240V CRI>80 IP20 PC	3CCT - Dimmable 7W 630lm White 220-240V CRI>80 IP20 PC





3CCT Dimmable

	BD02-10781	BD02-70781
Spotled	3CCT 7W 630lm Black 220-240V CRI>80 IP20 PC	3CCT - Dimmable 7W 630lm Black 220-240V CRI>80 IP20 PC





3CCT

	BD02-10783
Spotled	3CCT 7W 630lm Silver 220-240V CRI>80 IP20 PC





3CCT - Color Temperature Changeable

3000K 4000K 6500K



LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


LED PANEL LIGHT



NEW

ADJUSTABLE POWER 3CCT

Panelled	BP15-36610	BP15-36630	BP15-36680	30W - 3000K - 3300lm 30W - 4000K - 3500lm 30W - 6500K - 3300lm
LED	40W 4000K 4200lm White	40W 6500K 4200lm White	3CCT White	40W - 3000K - 4100lm 40W - 4000K - 4400lm 40W - 6500K - 4100lm
F A G	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	45W - 3000K - 4500lm 45W - 4000K - 5000lm 45W - 6500K - 4500lm
			E A G	



NEW

ADJUSTABLE POWER 3CCT

Panelled	BP15-56610	BP15-56630	BP15-56680	30W - 3000K - 3400lm 30W - 4000K - 3600lm 30W - 6500K - 3400lm
LED	48W 4000K 5000lm White	48W 6500K 5000lm White	48W 3CCT 5000lm White	40W - 3000K - 4200lm 40W - 4000K - 4400lm 40W - 6500K - 4200lm
F A G	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	48W - 3000K - 4600lm 48W - 4000K - 5000lm 48W - 6500K - 4600lm



NEW

ADJUSTABLE POWER 3CCT

Panelled	BP16-46280			28W - 3000K - 3350lm 28W - 4000K - 3550lm 28W - 6500K - 3450lm
LED	White 220-240V CRI>80 IP20 Aluminium			36W - 3000K - 4000lm 36W - 4000K - 4320lm 36W - 6500K - 4200lm
E A G				40W - 3000K - 4400lm 40W - 4000K - 4800lm 40W - 6500K - 4600lm





NEW

ADJUSTABLE POWER 3CCT

Panelled	BP16-33110	BP16-33130	BP16-33180	30W - 3000K - 3300lm 30W - 4000K - 3500lm 30W - 6500K - 3300lm
LED	40W 4000K 4400lm White	40W 6500K 4400lm White	3CCT White	40W - 3000K - 4100lm 40W - 4000K - 4400lm 40W - 6500K - 4100lm
E A G	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	220-240V CRI>80 IP20 Aluminium	45W - 3000K - 4500lm 45W - 4000K - 5000lm 45W - 6500K - 4500lm



3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40

Panelled BP27-26680

3CCT
White
220-240V
CRI>80
IP40
Aluminium

27W - 3000K - 2800lm
27W - 4000K - 3150lm
27W - 6500K - 3000lm

33W - 3000K - 3200lm
33W - 4000K - 3650lm
33W - 6500K - 3500lm

38W - 3000K - 3800lm
38W - 4000K - 4400lm
38W - 6500K - 4000lm

ADJUSTABLE POWER

3CCT



NEW



IP40

Panelled BP27-36280

3CCT
White
220-240V
CRI>80
IP40
Aluminium

28W - 3000K - 3200lm
28W - 4000K - 3640lm
28W - 6500K - 3360lm

36W - 3000K - 4100lm
36W - 4000K - 4680lm
36W - 6500K - 4320lm

40W - 3000K - 4600lm
40W - 4000K - 5200lm
40W - 6500K - 4600lm

ADJUSTABLE POWER

3CCT



NEW



IP40

Panelled BP27-36610

40W 4000K
4200lm White
220-240V CRI>80
IP40 Aluminium

BP27-36630

40W 6500K
4200lm White
220-240V CRI>80
IP40 Aluminium

BP27-46680

3CCT
White
220-240V
CRI>80
IP40
Aluminium

28W - 3000K - 3200lm
28W - 4000K - 3640lm
28W - 6500K - 3360lm

36W - 3000K - 4100lm
36W - 4000K - 4680lm
36W - 6500K - 4320lm

40W - 3000K - 4600lm
40W - 4000K - 5200lm
40W - 6500K - 4600lm

ADJUSTABLE POWER

3CCT



NEW



IP40

Backlite BP28-56600

50W 3000K
5200lm White
220-240V CRI>80
IP40 Aluminium

BP28-56610

50W 4000K
5200lm White
220-240V CRI>80
IP40 Aluminium

BP28-56630

50W 6500K
5200lm White
220-240V CRI>80
IP40 Aluminium



CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Panelled	BP21-06600	BP21-06610	BP21-06630
LED	50W 3000K	50W 4000K	50W 6500K
	5300lm White	5300lm White	5300lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A/G	IP20 Metal	IP20 Metal	IP20 Metal

Panelled	BP22-06610	BP22-06630
LED	40W 4000K	40W 6500K
	4000lm White	4000lm White
	220-240V CRI>80	220-240V CRI>80
F A/G	IP20 Metal	IP20 Metal

Panelled	BP21-03110	BP21-03130
LED	50W 4000K	50W 6500K
	5300lm White	5300lm White
	220-240V CRI>80	220-240V CRI>80
F A/G	IP20 Metal	IP20 Metal



LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP40

Panelled

BP25-56680
3CCT
White
220-240V
CRI>80
IP40
Aluminium

130 lm/W

30W - 3000K - 3400lm
30W - 4000K - 3900lm
30W - 6500K - 3700lm
40W - 3000K - 4300lm
40W - 4000K - 5080lm
40W - 6500K - 4600lm
50W - 3000K - 4900lm
50W - 4000K - 5700lm
50W - 6500K - 5200lm

ADJUSTABLE POWER

3CCT



NEW



IP40

Panelled

BP25-53180
3CCT
White
220-240V
CRI>80
IP40
Aluminium

130 lm/W

30W - 3000K - 3400lm
30W - 4000K - 3900lm
30W - 6500K - 3700lm
40W - 3000K - 4300lm
40W - 4000K - 5080lm
40W - 6500K - 4600lm
50W - 3000K - 4900lm
50W - 4000K - 5700lm
50W - 6500K - 5200lm

ADJUSTABLE POWER

3CCT





3CCT - Color Temperature Changeable

3000K | 4000K | 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BP16-99040

60x60 Surface Frame
White
Aluminium
Pcs/Ctn 20





BP16-99070

62x62 Surface Frame
White
Aluminium
Pcs/Ctn 20





BP16-99030

30x120 Surface Frame
White
Aluminium
Pcs/Ctn 20





BP16-99060

Adjustable Suspension Wire
Metal-Steel
Pcs/Ctn 100



BP16-99050

Recessed Apparatus
Metal
Pcs/Ctn 125

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP40

SMD-CRB BP03-72080

20W 3CCT
2000lm White
220-240V CRI>80
IP40 PC

Recessed



Surface



3CCT



IP40

SMD-CRB BP03-72081

20W 3CCT
2000lm Black
220-240V CRI>80
IP40 PC

Recessed



Surface



3CCT



IP40

SMD-CRB BP04-72080

20W 3CCT
2000lm White
220-240V CRI>80
IP40 PC

Recessed



Surface



3CCT



IP40

SMD-CRB BP04-72081

20W 3CCT
2000lm Black
220-240V CRI>80
IP40 PC

Recessed



Surface



3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW NEW NEW





JADE	BP07-00280	BP07-00281	BP07-00287
LED	20W 3CCT	20W 3CCT	20W 3CCT
F A G	1980lm White	1980lm Black	1980lm Wooden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 ABS	IP40 ABS	IP40 ABS



NEW NEW NEW





JADE	BP07-00380	BP07-00381	BP07-00387
LED	26W 3CCT	26W 3CCT	26W 3CCT
F A G	2640lm White	2640lm Black	2640lm Wooden
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 ABS	IP40 ABS	IP40 ABS









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-00480	BP07-00481	BP07-00487
	36W 3CCT 3960lm White 220-240V CRI>80 IP40 ABS	36W 3CCT 3960lm Black 220-240V CRI>80 IP40 ABS	36W 3CCT 3960lm Wooden 220-240V CRI>80 IP40 ABS







JADE	BP07-00580	BP07-00581	BP07-00587
	45W 3CCT 5280lm White 220-240V CRI>80 IP40 ABS	45W 3CCT 5280lm Black 220-240V CRI>80 IP40 ABS	45W 3CCT 5280lm Wooden 220-240V CRI>80 IP40 ABS











*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW NEW NEW



JADE	BP07-10280	BP07-10281	BP07-10287
	20W 3CCT 1980lm White 220-240V CRI>80 IP40 ABS	20W 3CCT 1980lm Black 220-240V CRI>80 IP40 ABS	20W 3CCT 1980lm Wooden 220-240V CRI>80 IP40 ABS



NEW NEW NEW



JADE	BP07-10380	BP07-10381	BP07-10387
	26W 3CCT 2640lm White 220-240V CRI>80 IP40 ABS	26W 3CCT 2640lm Black 220-240V CRI>80 IP40 ABS	26W 3CCT 2640lm Wooden 220-240V CRI>80 IP40 ABS









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



JADE	BP07-10480	BP07-10481	BP07-10487
	36W 3CCT 3960lm White 220-240V CRI>80 IP40 ABS	36W 3CCT 3960lm Black 220-240V CRI>80 IP40 ABS	36W 3CCT 3960lm Wooden 220-240V CRI>80 IP40 ABS

3CCT

IP40











*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP40





3CCT

SMD	BP01-60310	BP01-60330	BP01-60380	BP01-60381
LED	3W 4000K 220lm White	3W 6500K 220lm White	3W 3CCT 220lm White	3W 3CCT 220lm Black
G	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40





3CCT

SMD	BP01-60600	BP01-60610	BP01-60630	BP01-60680
LED	6W 3000K 470lm White	6W 4000K 470lm White	6W 6500K 470lm White	6W 3CCT 470lm White
G	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC



IP40





3CCT

SMD	BP01-60900	BP01-60910	BP01-60930	BP01-60980
LED	9W 3000K 790lm White	9W 4000K 790lm White	9W 6500K 790lm White	9W 3CCT 790lm White
F	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC	220-240V CRI>80 IP40 PC





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP40





3CCT

SMD	BP01-61200	BP01-61210	BP01-61230	BP01-61280
LED	12W 3000K	12W 4000K	12W 6500K	12W 3CCT
	1120lm White	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A G	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40





3CCT

SMD	BP01-61500	BP01-61510	BP01-61530	BP01-61580
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
	1440lm White	1440lm White	1440lm White	1440lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A G	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40





3CCT

SMD	BP01-61800	BP01-61810	BP01-61830	BP01-61880
LED	18W 3000K	18W 4000K	18W 6500K	18W 3CCT
	1760lm White	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A G	IP40 PC	IP40 PC	IP40 PC	IP40 PC



IP40





3CCT

SMD	BP01-62400	BP01-62410	BP01-62430	BP01-62480
LED	24W 3000K	24W 4000K	24W 6500K	24W 3CCT
	2400lm White	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
F A G	IP40 PC	IP40 PC	IP40 PC	IP40 PC







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT
Dimmable
IP40



SMD BP01-90480 - Dimmable

4W 3CCT
280lm White
220-240V CRI>80
IP40 PC



NEW



3CCT
Dimmable
IP40



SMD BP01-90680 - Dimmable

6W 3CCT
470lm White
220-240V CRI>80
IP40 PC



NEW



3CCT
Dimmable
IP40



SMD BP01-91280 - Dimmable

12W 3CCT
1120lm White
220-240V CRI>80
IP40 PC



NEW



3CCT
Dimmable
IP40



SMD BP01-91880 - Dimmable

18W 3CCT
1800lm White
220-240V CRI>80
IP40 PC



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

Dimmable

IP40



SMD BP01-90481 - Dimmable

4W 3CCT
280lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT

Dimmable

IP40



SMD BP01-90681 - Dimmable

6W 3CCT
470lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT

Dimmable

IP40



SMD BP01-91281 - Dimmable

12W 3CCT
1120lm Black
220-240V CRI>80
IP40 PC



NEW



3CCT

Dimmable

IP40



SMD BP01-91881 - Dimmable

18W 3CCT
1800lm Black
220-240V CRI>80
IP40 PC







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Dimmable

IP40



SMD	BP02-90480 - Dimmable	BP02-90481 - Dimmable	BP02-60380	BP02-60381
LED	4W 3CCT	4W 3CCT	3W 3CCT	3W 3CCT
	280lm White	280lm Black	220lm White	220lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

NEW





IP40



SMD	BP02-60600	BP02-60610	BP02-60630	BP02-60680
LED	6W 3000K	6W 4000K	6W 6500K	6W 3CCT
	470lm White	470lm White	470lm White	470lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

NEW



IP40



SMD	BP02-61200	BP02-61210	BP02-61230	BP02-61280
LED	12W 3000K	12W 4000K	12W 6500K	12W 3CCT
	1120lm White	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

NEW





IP40



SMD	BP02-61800	BP02-61810	BP02-61830	BP02-61880
LED	18W 3000K	18W 4000K	18W 6500K	18W 3CCT
	1760lm White	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40



SMD	BP03-61200	BP03-61210	BP03-61230	BP03-61280
LED	12W 3000K	12W 4000K	12W 6500K	12W 3CCT
	1120lm White	1120lm White	1120lm White	1120lm White
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

NEW



IP40



SMD	BP03-61800	BP03-61810	BP03-61830	BP03-61880
LED	18W 3000K	18W 4000K	18W 6500K	18W 3CCT
	1760lm White	1760lm White	1760lm White	1760lm White
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT



NEW



IP40



SMD	BP03-62400	BP03-62410	BP03-62430	BP03-62480
LED	24W 3000K	24W 4000K	24W 6500K	24W 3CCT
	2400lm White	2400lm White	2400lm White	2400lm White
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

3CCT

CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW

IP40



3CCT

SMD	BP04-61200	BP04-61210	BP04-61230	BP04-61280
	12W 3000K	12W 4000K	12W 6500K	12W 3CCT
	1120lm White	1120lm White	1120lm White	1120lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

NEW

IP40



3CCT

SMD	BP04-61800	BP04-61810	BP04-61830	BP04-61880
	18W 3000K	18W 4000K	18W 6500K	18W 3CCT
	1760lm White	1760lm White	1760lm White	1760lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC

NEW

IP40



3CCT

SMD	BP04-62400	BP04-62410	BP04-62430	BP04-62480
	24W 3000K	24W 4000K	24W 6500K	24W 3CCT
	2400lm White	2400lm White	2400lm White	2400lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP40 PC	IP40 PC	IP40 PC	IP40 PC



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SPOTLIGHT FIXTURE

NEW



Modul BA23-00580

3CCT 110°
5W 430lm White
220-240V CRI>80
IP20 PC



3CCT

NEW



Modul BA23-10580

3CCT 45°
5W 380lm White
220-240V CRI>80
IP20 PC



3CCT

NEW



Modul BA23-31081

3CCT 38°
10W 1000lm Black
220-240V CRI>80
IP20 PC



3CCT

NEW



Modul BD03-81581

3CCT 38°
15W 1420lm Black
220-240V CRI>80
IP25 Aluminium



3CCT

3CCT - Color Temperature Changeable

3000K 4000K 6500K



LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00400
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00401
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00406
Beta
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00100
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00101
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00110
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00111
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

CE LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30100
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30101
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium





Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30110
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30111
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com











Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00200
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

125
Ø94

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00201
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

125
Ø94

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00210
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

125
97
97

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00211
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

125
97
97

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com









BH04-00300
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00301
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00306
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium











BH04-00310
Gama
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00311
Gama
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

BH04-00316
Gama
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium





CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com











Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30300
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
Ø80

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30301
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
Ø80

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30310
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80x80

Bulb not included.
Suitable For GU10 BULB
50mm

BH04-30311
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

100
80x80

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00500
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
Ø55



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00501
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
Ø55





Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00506
Gama
Golden 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

102
Ø55

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com









BH04-00560
Gama
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



BH04-00561
Gama
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00900
Beta
White 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00901
Beta
Black 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00906
Beta
Golden 1xGU10
Max.1x35W
220-240V
IP20 Aluminium

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00800
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00801
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00806
Beta
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium

CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00810
Beta
White 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00811
Beta
Black 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00816
Beta
Golden 1xGU10
Max.1x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00880
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00881
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00886
Beta
Golden 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00820
Beta
White 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00830
Beta
White 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00821
Beta
Black 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00831
Beta
Black 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00826
Beta
Golden 2xGU10
Max.2x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For
GU10 BULB
50mm

BH04-00836
Beta
Golden 3xGU10
Max.3x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00840
Beta
White 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00860
Beta
White 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00841
Beta
Black 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00861
Beta
Black 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00846
Beta
Golden 4xGU10
Max.4x35w
220-240VAC
IP20 Aluminium



NEW



Bulb not included.
Suitable For GU10 BULB
50mm

BH04-00866
Beta
Golden 6xGU10
Max.6x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







BH03-06020
Alfa
White+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06021
Alfa
Black+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium

CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BH03-06030
Alfa
White+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06031
Alfa
Black+Golden 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06032
Alfa
White+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BH03-06040
Alfa
White+White
1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06041
Alfa
Black+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06042
Alfa
Black+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06043
Alfa
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BH03-06050
Alfa
White+White
1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06051
Alfa
Black+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06052
Alfa
Black+White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-06053
Alfa
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BH03-05110
Beta
White+Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





BH03-05112
Beta
White+White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





BH03-05111
Beta
Black+Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





BH03-05116
Beta
Black+Golden 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





BH03-00810
Gata
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





BH03-00820
Gata
White+Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-05010
Beta
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-05011
Beta
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-05020
Beta
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-05021
Beta
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







BH03-05030
Beta
White 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium









BH03-05031
Beta
Black 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium









BH03-05040
Beta
White 3xMR16
Max.3x35w
220-240VAC
IP20 Aluminium









BH03-05041
Beta
Black 3xMR16
Max.3x35w
220-240VAC
IP20 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
50mm
Suitable For MR16 BULB

BH03-02010
Mitto
White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-02011
Mitto
Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-02014
Mitto
Nickel 1xMR16
Max.1x35W
220-240V
IP20 Aluminium





CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com











BH03-02020
Mitto
White 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



BH03-02021
Mitto
Black 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



BH03-02024
Mitto
Nickel 1xMR16
Max.1x35W
220-240V
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04120
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04121
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04130
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04131
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04090
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04091
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04100
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04101
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com











Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04050
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04051
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04040
Tetra
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



Bulb not included.
50mm
Suitable For MR16 BULB

BH03-04041
Tetra
Black 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-00161
Spotti
Black Silver 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-00163
Spotti
Brushed Silver 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-00111
Spotti
Black Silver 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium







Bulb not included.
50mm
Suitable For MR16 BULB

BH03-00113
Spotti
Brushed Silver 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







BH03-00121
Spotti
Black Silver 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium







BH03-00123
Spotti
Brushed Silver 2xMR16
Max.2x35w
220-240VAC
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com









BH03-02070
Mitto
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium









BH03-02074
Mitto
Nickel 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium









BH03-02040
Mitto
White 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium









BH03-02044
Mitto
Nickel 1xMR16
Max.1x35w
220-240VAC
IP20 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54





BH03-02100
Tetra
White 1xMR16
Max.1x35W
220-240V
IP54 Aluminium



IP54





BH03-02101
Tetra
Black 1xMR16
Max.1x35W
220-240V
IP54 Aluminium





IP54





BH03-02110
Tetra
White 1xMR16
Max.1x35W
220-240V
IP54 Aluminium



IP54





BH03-02111
Tetra
Black 1xMR16
Max.1x35W
220-240V
IP54 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

DESK LAMP





LB124 BK01-00516

4.5W 5000K
350lm White
13.2V DC CRI>80
IP20 ABS





LB125 BK01-00710

5W 5000K
400lm White
5V DC CRI>80
IP20 ABS





LB131 BK01-01310

7W 5000K
580lm White
12V DC CRI>80
IP20 ABS





LB132 BK01-01411

7W 5000K
580lm Black
12V DC CRI>80
IP20 ABS



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LB145 BK01-02680

5W CCT TUNABLE
500lm White
5V DC CRI>80
IP20 ABS



LB145 BK01-02681

5W CCT TUNABLE
500lm Black
5V DC CRI>80
IP20 ABS





LB146 BK01-02781

5W CCT TUNABLE
500lm Black
5V DC CRI>80
IP20 ABS

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP44

DIMMABLE

Tower BK06-00080

3W 3000K
200lm White
5V DC CRI>80
IP44 Metal+PC



NEW

IP44

DIMMABLE

Tower BK06-00081

3W 3000K
200lm Black
5V DC CRI>80
IP44 Metal+PC





LVD · EMC · ErP COMPLIANT · RoHS 2011/65/EU · Hg 0.0mg · > 25,000 · -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP44

DIMMABLE

3CCT

Tower BK06-00090

LED

3W 3CCT
200lm White
5V DC CRI>80
IP44 Metal+PC





NEW

IP44

DIMMABLE

3CCT

Tower BK06-00092

LED

3W 3CCT
200lm Green
5V DC CRI>80
IP44 Metal+PC







NEW

IP44

DIMMABLE

3CCT

Tower BK06-00091

LED

3W 3CCT
200lm Black
5V DC CRI>80
IP44 Metal+PC





NEW

IP44

DIMMABLE

3CCT

Tower BK06-00093

LED

3W 3CCT
200lm Coffee
5V DC CRI>80
IP44 Metal+PC



3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

DIMMABLE

2200K
3000K
6500K

3CCT

IP44

Luxe BK06-01180

2W 3CCT
100lm White
5V DC CRI>80
IP44 IRON+PS





NEW

DIMMABLE

2200K
3000K
6500K

3CCT

IP44

Luxe BK06-01181

2W 3CCT
100lm Black
5V DC CRI>80
IP44 IRON+PS





NEW

DIMMABLE

2200K
3000K
6500K

3CCT

IP44

Luxe BK06-01186

2W 3CCT
100lm Golden
5V DC CRI>80
IP44 IRON+PS





3CCT - Color Temperature Changeable

2200K 3000K 6500K

CCT Switch

3000K 2200K 6500K

LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



DECORATIVE LIGHTING





Lina BH16-09180

3CCT
35W 3500lm White
220-240V CRI>80
IP20 Aluminium



3CCT



Lina BH16-09181

3CCT
35W 3500lm Black
220-240V CRI>80
IP20 Aluminium



3CCT





Lina BH16-09186

3CCT
35W 3500lm Golden
220-240V CRI>80
IP20 Aluminium



3CCT







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Lina BH16-09280

3CCT
45W 4520lm White
220-240V CRI>80
IP20 Aluminium



3CCT



Lina BH16-09281

3CCT
45W 4520lm Black
220-240V CRI>80
IP20 Aluminium



3CCT



Lina BH16-09286

3CCT
45W 4520lm Golden
220-240V CRI>80
IP20 Aluminium



3CCT



3CCT - Color Temperature Changeable

3000K | 4000K | 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Lina BH16-09680

3CCT
65W 6500lm White
220-240V CRI>80
IP20 Aluminium

3CCT



Lina BH16-09681

3CCT
65W 6500lm Black
220-240V CRI>80
IP20 Aluminium

3CCT





Lina BH16-09686

3CCT
65W 6500lm Golden
220-240V CRI>80
IP20 Aluminium

3CCT

3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Lina BH16-09980

3CCT
30W 3000lm White
220-240V CRI>80
IP20 Aluminium



3CCT



Lina BH16-09981

3CCT
30W 3000lm Black
220-240V CRI>80
IP20 Aluminium



3CCT



Lina BH16-09986

3CCT
30W 3000lm Golden
220-240V CRI>80
IP20 Aluminium



3CCT



3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

BELLA





Bella BH17-00280

3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium





Bella BH17-00281

3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium





Bella BH17-00286

3CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium





3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-00780

3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium





Bella BH17-00781

3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium







Bella BH17-00786

3CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-02380
3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium





Bella BH17-02381
3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium





Bella BH17-02880
3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium





Bella BH17-02881
3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-01280
3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



3CCT



Bella BH17-01281
3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



3CCT





Bella BH17-01286
3CCT
36W 4260lm Golden
220-240V CRI>80
IP20 Aluminium



3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-01380
3CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium
3CCT



Bella BH17-01381
3CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium
3CCT



Bella BH17-01386
3CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium
3CCT



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-03480

3CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium

3CCT



Bella BH17-03481

3CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium

3CCT





Bella BH17-03486

3CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium

3CCT







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bella BH17-03980

3CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium

3CCT



Bella BH17-03981

3CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium

3CCT



Bella BH17-03986

3CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium

3CCT



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Bella BH17-01780

3CCT
36W 4260lm White
220-240V CRI>80
IP20 Aluminium



3CCT



Bella BH17-01781

3CCT
36W 4260lm Black
220-240V CRI>80
IP20 Aluminium



3CCT



CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Bella BH17-01980

3CCT
46W 5200lm White
220-240V CRI>80
IP20 Aluminium





Bella BH17-01981

3CCT
46W 5200lm Black
220-240V CRI>80
IP20 Aluminium





Bella BH17-01986

3CCT
46W 5200lm Golden
220-240V CRI>80
IP20 Aluminium





3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

ARCANA



NEW



Arcana BH18-01101
3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01191
3CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Arcana BH18-01201
3000K
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01291
3CCT - With Remote
32W 3520lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Arcana BH18-01301
3000K
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium

BH18-01391
3CCT - With Remote
48W 5280lm Black
220-240V CRI>80
IP20 Aluminium





3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Crystal BH17-04890

3CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-04891

3CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-04990

3CCT - With Remote
80W 8800lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-04991

3CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium



LVD · EMC · ErP COMPLIANT · RoHS 2011/65/EU · Hg 0.0mg · Non-Dimmable · > 25,000 · -20°C +40°C





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Crystal BH17-05090

3CCT - With Remote
40W 4400lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-05091

3CCT - With Remote
40W 4400lm Black
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-05190

3CCT - With Remote
55W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



Crystal BH17-05191

3CCT - With Remote
55W 6050lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

Dimmable

Nela BH17-04090

3CCT - With Remote
60W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



3CCT

Dimmable

Nela BH17-04091

3CCT - With Remote
60W 6050lm Black
220-240V CRI>80
IP20 Aluminium



NEW



3CCT

Dimmable

Nela BH17-04190

3CCT - With Remote
60W 6050lm White
220-240V CRI>80
IP20 Aluminium



NEW



3CCT

Dimmable

Nela BH17-04191

3CCT - With Remote
60W 6050lm Black
220-240V CRI>80
IP20 Aluminium



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW







Nela BH17-04490

3CCT - With Remote
40W 4400lm White
220-240V CRI>80
IP20 Aluminium

NEW







Nela BH17-04491

3CCT - With Remote
40W 4400lm Black
220-240V CRI>80
IP20 Aluminium

NEW







Nela BH17-04590

3CCT - With Remote
65W 7150lm White
220-240V CRI>80
IP20 Aluminium

NEW







Nela BH17-04591

3CCT - With Remote
65W 7150lm Black
220-240V CRI>80
IP20 Aluminium

3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW







Nela BH17-04691

3CCT - With Remote
80W 8800lm Black
220-240V CRI>80
IP20 Aluminium







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-04180

3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal





Blade BH16-04181

3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal





Blade BH16-04187

3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal





PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com







Blade BH16-04290

3CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal



3CCT



Blade BH16-04291

3CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal



3CCT







Blade BH16-04297

3CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal



3CCT

PENDANT KIT • BLADE
White • SH16-05001

PENDANT KIT • BLADE
Black • SH16-05002

PENDANT KIT • BLADE
Wooden • SH16-05003



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-05180

3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal





Blade BH16-05181

3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal





Blade BH16-05187

3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal





PENDANT KIT • BLADE
White • SH16-05004

PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3CCT

Dimmable

Blade BH16-05290

3CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal





3CCT

Dimmable

Blade BH16-05291

3CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal





PENDANT KIT • BLADE
White • SH16-05004

PENDANT KIT • BLADE
Black • SH16-05005

PENDANT KIT • BLADE
Wooden • SH16-05006





3CCT

Dimmable

Blade BH16-05297

3CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-06180

3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal





Blade BH16-06181

3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal





Blade BH16-06187

3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal





3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Blade BH16-06290

3CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal







Blade BH16-06291

3CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal









Blade BH16-06297

3CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Blade BH16-07180

3CCT
36W 3680lm White
220-240V CRI>80
IP20 Metal



3CCT



Blade BH16-07181

3CCT
36W 3680lm Black
220-240V CRI>80
IP20 Metal



3CCT



Blade BH16-07187

3CCT
36W 3680lm Wooden
220-240V CRI>80
IP20 Metal



3CCT







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





3CCT

Dimmable

Blade BH16-07290

3CCT - With Remote
45W 4650lm White
220-240V CRI>80
IP20 Metal







3CCT

Dimmable

Blade BH16-07291

3CCT - With Remote
45W 4650lm Black
220-240V CRI>80
IP20 Metal









3CCT

Dimmable

Blade BH16-07297

3CCT - With Remote
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Blade BH16-08280

3CCT
45W 4650lm White
220-240V CRI>80
IP20 Metal

3CCT





Blade BH16-08281

3CCT
45W 4650lm Black
220-240V CRI>80
IP20 Metal

3CCT





Blade BH16-08287

3CCT
45W 4650lm Wooden
220-240V CRI>80
IP20 Metal

3CCT









PENDANT KIT • BLADE
White • SH16-05007

PENDANT KIT • BLADE
Black • SH16-05008

PENDANT KIT • BLADE
Wooden • SH16-05009



3CCT - Color Temperature Changeable





LVD · EMC · ErP COMPLIANT · RoHS · Hg 0.0mg · > 25,000 · -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-20080

3CCT

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal







Jade BH16-20180 BH16-20190

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal









Jade BH16-20280 BH16-20290

3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-20380

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal







Jade BH16-20480 BH16-20490

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal







Jade BH16-20580 BH16-20590

3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal





3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-20680

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal





Jade BH16-20780

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal







Jade BH16-20880

3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Jade BH16-21080

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

3CCT







Jade BH16-21180 BH16-21190

BH16-21180	BH16-21190
3CCT	3CCT - With Remote
34W 3550lm White	34W 3550lm White
220-240V CRI>80	220-240V CRI>80
IP20 Metal	IP20 Metal







Jade BH16-21280 BH16-21290

BH16-21280	BH16-21290
3CCT	3CCT - With Remote
44W 4580lm White	44W 4580lm White
220-240V CRI>80	220-240V CRI>80
IP20 Metal	IP20 Metal





3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Jade BH16-22130

6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal





Jade BH16-22230 | BH16-22280 | BH16-22290

BH16-22230	BH16-22280	BH16-22290
6500K White	3CCT	3CCT - With Remote
24W 2450lm	24W 2450lm White	24W 2450lm White
220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
IP20 Metal	IP20 Metal	IP20 Metal





Jade BH16-22380 | BH16-22390

BH16-22380	BH16-22390
3CCT	3CCT - With Remote
34W 3550lm White	34W 3550lm White
220-240V CRI>80	220-240V CRI>80
IP20 Metal	IP20 Metal





Jade BH16-22480 | BH16-22490

BH16-22480	BH16-22490
3CCT	3CCT - With Remote
44W 4580lm White	44W 4580lm White
220-240V CRI>80	220-240V CRI>80
IP20 Metal	IP20 Metal







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Jade BH16-23130

6500K White
18W 1760lm
220-240V CRI>80
IP20 Metal





Jade BH16-23280 BH16-23290

3CCT
24W 2450lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
24W 2450lm White
220-240V CRI>80
IP20 Metal





Jade BH16-23380 BH16-23390

3CCT
34W 3550lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
34W 3550lm White
220-240V CRI>80
IP20 Metal





Jade BH16-23480 BH16-23490

3CCT
44W 4580lm White
220-240V CRI>80
IP20 Metal

3CCT - With Remote
44W 4580lm White
220-240V CRI>80
IP20 Metal









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


PENDANT LIGHT





Bulb not included.
Suitable For G9 BULB



BV01-00010
S001R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB



BV01-00011
S001R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB



BV01-00012
S001R
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB



BV01-00020
S002R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB



BV01-00021
S002R
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB



BV01-00022
S002R
Golden 3xG9
Max.3x10w
220-240VAC
IP20 Metal





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For G9 BULB

BV01-00023
S002R
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00024
S002S
Golden 5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00013
S001C
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00014
S001W
Golden 1xG9
Max.1x10w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For G9 BULB

BV01-00030
S003R
Smoky 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00031
S003R
Smoky 3xG9
Max.3x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00032
S003R
Smoky 6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00033
S003S
Smoky 4xG9
Max.4x10w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For G9 BULB

BV01-00034
S003R
Amber 1xG9
Max.1x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00035
S003R
Amber 3xG9
Max.3x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00036
S003R
Amber 6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00037
S003S
Amber 4xG9
Max.4x10w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV01-00040
S004R
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00041
S004R
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00042
S004S
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00043
S004W
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV01-00044
S004R
Amber 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00045
S004R
Amber 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00046
S004S
Amber 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00047
S004W
Amber 1xE27
Max.1x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV01-00050
S005R
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00051
S005R
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00052
S005S
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00053
S005W
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





BV01-00060
S006R
Opal+Golden
1xG9
Max.1x10w
220-240VAC
IP20 Metal





BV01-00061
S006R
Opal+Golden
3xG9
Max.3x10w
220-240VAC
IP20 Metal





BV01-00062
S006W
Opal+Golden
1xG9
Max.1x10w
220-240VAC
IP20 Metal





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV01-00070
S007R
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00071
S007R
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00072
S007S
Smoky 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00073
S007W
Smoky 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E14 BULB

BV01-00080
S008R
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00081
S008R
Cooper 3xE14
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00082
S008S
Cooper 4xE14
Max.4x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00083
S008W
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00084
S008T
Cooper 1xE14
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV01-00090
S009R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV01-00091
S009R
Opal+Black
3xE27
Max.3x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV01-00092
S009S
Opal+Black
3xE27
Max.3x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV01-00093
S009T
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV01-00100
S011R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00101
S011R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV01-00102
S011R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00103
S011R
Opal+Black
1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00104
S011R
Opal+Black
1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00105
S011R
Opal+Black
1xE14
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV01-00106
S011R
Opal+Black
3xE14
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00107
S012C
Opal+Black
3xG9
Max.3x10w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For G9 BULB

BV01-00110
S012R
Opal+Golden
4xG9
Max.4x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00111
S012R
Opal+Golden
6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00112
S012C
Opal+Black
6xG9
Max.6x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00113
S012C
Opal+Black
6xG9
Max.6x10w
220-240VAC
IP20 Metal

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For
E27 BULB

BV01-00114
S013R
Opal+Black
1xE27
Max.1x23w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
G9 BULB

BV01-00115
S013S
Opal+Black
4xG9
Max.4x10w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
G9 BULB

BV01-00116
S013R
Opal+Black
3xG9
Max.3x10w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
G9 BULB

BV01-00117
S013W
Opal+Black
1xG9
Max.1x10w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
G9 BULB

BV01-00118
S013T
Opal+Black
1xG9
Max.1x10w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For
G9 BULB

BV01-00119
S013T
Opal+Black
1xG9
Max.1x10w
220-240VAC
IP20 Metal





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For G9 BULB

BV01-00120
S014R
Clear+Black
5xG9
Max.5x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB

BV01-00121
S011S
Clear+Black
6xG9
Max.6x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB

BV01-00122
S011R
Clear+Black
11xG9
Max.11x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB

BV01-00123
S011W
Clear+Black
1xG9
Max.1x10w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For G9 BULB

BV01-00124
S014R
Amber+Golden
5xG9
Max.5x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00125
S011S
Amber+Golden
6xG9
Max.6x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For G9 BULB

BV01-00126
S011R
Amber+Golden
11xG9
Max.11x10w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For G9 BULB

BV01-00127
S011W
Amber+Golden
1xG9
Max.1x10w
220-240VAC
IP20 Metal

193
146
Ø100
Ø120

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV02-00010
D001S
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden





Bulb not included.
Suitable For E27 BULB

BV02-00011
D001S
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden







Bulb not included.
Suitable For E27 BULB

BV02-00012
D001C
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden





Bulb not included.
Suitable For E27 BULB

BV02-00013
D001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV02-00014
D001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV02-00020
D002S
Black 4xE27
Max.4x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV02-00021
D002S
Black 6xE27
Max.6x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV02-00023
D002C
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV02-00024
D002W
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV02-00025
D002T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV02-00030
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For E27 BULB

BV02-00031
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For E27 BULB

BV02-00032
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For E27 BULB

BV02-00033
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For E27 BULB

BV02-00034
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan



Bulb not included.
Suitable For E27 BULB

BV02-00035
D003R
Rattan 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Rattan

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E14 BULB

BV03-00010
W001C
Black 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E14 BULB

BV03-00011
W001C
Black 2xE14
Max.2x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV03-00015
W001S
Black 3xE27
Max.3x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E27 BULB

BV03-00014
W001R
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E14 BULB

BV03-00012
W001C
Black 3xE14
Max.3x23w
220-240VAC
IP20
Metal+Wooden



Bulb not included.
Suitable For E14 BULB

BV03-00013
W001C
Black 4xE14
Max.4x23w
220-240VAC
IP20
Metal+Wooden

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV03-00016
W001T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E14 BULB

BV03-00020
W002R
Black 1xE14
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E14 BULB

BV03-00021
W002S
Black 3xE14
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E14 BULB

BV03-00022
W002W
Black 1xE14
Max.1x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV03-00030
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00031
W003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00032
W003S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00033
W003W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00042
W004R
Black+Smoky
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00043
W004S
Black+Smoky
3xE27
Max.3x23w
220-240VAC
IP20 Metal

CE LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV03-00050
W005R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00051
W005R
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00054
W005T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00052
W005S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00053
W005T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV03-00060
W006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00061
W006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00062
W006C
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV03-00040
W004R
Black+Opal
1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00041
W004R
Black+Opal
1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV03-00070
W007R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00071
W007S
Beige 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00072
W007T
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00073
W007T
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV03-00080
W008R
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00081
W008S
Black 4xE27
Max.4x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00082
W008S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00083
W008C
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV03-00084
W008T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com









BV04-00020
G002C
Golden+Black
1xGU10 Max.1x10w
220-240VAC
IP20
Metal+Aluminium





BV04-00021
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20
Metal+Aluminium





BV04-00022
G002C
Golden+Black
2xGU10 Max.2x10w
220-240VAC
IP20
Metal+Aluminium







BV04-00023
G002C
Golden+Black
3xGU10 Max.3x10w
220-240VAC
IP20
Metal+Aluminium







BV04-00024
G002C
Golden+Black
4xGU10 Max.4x10w
220-240VAC
IP20
Metal+Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV04-00030
G003C
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV04-00034
G003W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV04-00035
G003T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal









Bulb not included.
Suitable For E27 BULB

BV04-00031
G003C
Black 2xE27
Max.2x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00032
G003C
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00033
G003C
Black 4xE27
Max.4x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV04-00045
G004C
Black 6xE27
Max.6x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV04-00042
G004C
Black 6xE27
Max.6x23w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For E27 BULB

BV04-00044
G004C
Black 6xE27
Max.6x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV04-00043
G004C
Golden 6xE27
Max.6x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV04-00050
G005R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00054
G005R
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00052
G005S
Black 4xE27
Max.4x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00051
G005R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00055
G005R
Golden 5xE27
Max.5x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00053
G005S
Golden 4xE27
Max.4x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BY45-00201
Copper 1xE27
Max.1x40w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BY45-00200
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00060
G006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00061
G006R
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00062
G006S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV04-00063
G006S
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For G9 BULB

BV04-00070
G007R
Black 1xG9
Max.1x10w
220-240VAC
IP20
Metal+Aluminium





Bulb not included.
Suitable For G9 BULB

BV04-00072
G007S
Black 5xG9
Max.5x10w
220-240VAC
IP20
Metal+Aluminium





Bulb not included.
Suitable For G9 BULB

BV04-00071
G007R
Golden 1xG9
Max.1x10w
220-240VAC
IP20
Metal+Aluminium





Bulb not included.
Suitable For G9 BULB

BV04-00073
G007S
Golden 5xG9
Max.5x10w
220-240VAC
IP20
Metal+Aluminium



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV05-00010
P001R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00011
P001S
Black 3xE27
Max.3x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00014
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00012
P001C
Black 5xE27
Max.5x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00013
P001W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV05-00020
P002R
Copper 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00021
P002R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00022
P003R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00023
P003R
Bronze 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00024
P004R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00028
P006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00025
P004W
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV05-00030
P007R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00032
P007R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For E27 BULB

BV05-00031
P007R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00033
P007C
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00029
P006R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV05-00040
P008R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00041
P008R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00042
P008R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00043
P008R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00044
P008R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00045
P008R
Green 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV05-00060
P010R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00061
P010R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00062
P010R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00063
P010R
Blue 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00064
P010R
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00050
P009R
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00051
P009R
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00052
P009R
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV05-00065
P010R
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00067
P010T
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00068
P010T
Golden 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV05-00066
P010S
Golden 3xE27
Max.3x23w
220-240VAC
IP20 Metal

CE LVD RoHS Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For GU10 BULB
50mm

BV05-00070
P011R
Black 1xGU10
Max.1x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For GU10 BULB
50mm

BV05-00071
P011S
Black 4xGU10
Max.4x10w
220-240VAC
IP20 Metal







Bulb not included.
Suitable For GU10 BULB
50mm

BV05-00072
P011R
Black 5xGU10
Max.5x10w
220-240VAC
IP20 Metal





Bulb not included.
Suitable For GU10 BULB
50mm

BV05-00073
P011T
Black 2xGU10
Max.2x10w
220-240VAC
IP20 Metal



CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Bulb not included.
Suitable For E27 BULB

BV06-00010
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Fabric





Bulb not included.
Suitable For E27 BULB

BV06-00011
F001T
Black 1xE27
Max.1x23w
220-240VAC
IP20
Metal+Fabric





Bulb not included.
Suitable For E14 BULB

BV06-00012
F001T
White 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Fabric





Bulb not included.
Suitable For E14 BULB

BV06-00013
F001T
Black 1xE14
Max.1x23w
220-240VAC
IP20
Metal+Fabric





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Bulb not included.
Suitable For E27 BULB

BV06-00020
F002T
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00021
F002T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00022
F002T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00030
F003T
White 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00031
F003T
Black 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00032
F003T
Grey 1xE27
Max.1x23w
220-240VAC
IP20 Metal



Bulb not included.
Suitable For E27 BULB

BV06-00033
F003T
Beige 1xE27
Max.1x23w
220-240VAC
IP20 Metal

CE LVD RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Ledline	BN11-00400	BN11-00410	BN11-00430
	4W 3000K 440lm White 220-240V CRI>80 IP20 PC	4W 4000K 440lm White 220-240V CRI>80 IP20 PC	4W 6500K 440lm White 220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-00700	BN11-00710	BN11-00730
	7W 3000K 780lm White 220-240V CRI>80 IP20 PC	7W 4000K 780lm White 220-240V CRI>80 IP20 PC	7W 6500K 780lm White 220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-01100	BN11-01110	BN11-01130
	11W 3000K 1220lm White 220-240V CRI>80 IP20 PC	11W 4000K 1220lm White 220-240V CRI>80 IP20 PC	11W 6500K 1220lm White 220-240V CRI>80 IP20 PC



NEW



Ledline	BN11-01400	BN11-01410	BN11-01430
	14W 3000K 1550lm White 220-240V CRI>80 IP20 PC	14W 4000K 1550lm White 220-240V CRI>80 IP20 PC	14W 6500K 1550lm White 220-240V CRI>80 IP20 PC



NEW



BN99-99105

15cm 2HD Cable
White 220-240V

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP40

Proline	BN18-00610	BN18-00630	BN18-00680	
	18W 4000K 1800lm White 220-240V CRI>80 IP40 PC	18W 6500K 1800lm White 220-240V CRI>80 IP40 PC	18W 3CCT 1800lm White 220-240V CRI>80 IP40 PC	3CCT



NEW



IP40

Proline	BN18-01210	BN18-01230	BN18-01280	
	35W 4000K 3600lm White 220-240V CRI>80 IP40 PC	35W 6500K 3600lm White 220-240V CRI>80 IP40 PC	35W 3CCT 3600lm White 220-240V CRI>80 IP40 PC	3CCT



NEW



IP40

Proline	BN20-10680	BN20-11280	BN20-11281
	18W 3CCT 2160lm White 220-240V CRI>80 IP40 PC	36W 3CCT 4320lm White 220-240V CRI>80 IP40 PC	36W 3CCT 4320lm Black 220-240V CRI>80 IP40 PC
	3CCT	3CCT	3CCT



NEW



IP40

Proline	BN20-41280	
	36W 3CCT Sensor 4320lm White 220-240V CRI>80 IP40 PC	3CCT

MICROWAVE SENSOR



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW

IP65

3CCT

Bulkhead BC18-30780

18W 3CCT
2020lm White
220-240V CRI>80
IP65 PC



MICROWAVE SENSOR

NEW



IP65

3CCT

Bulkhead BC18-30781

18W 3CCT
2020lm Black
220-240V CRI>80
IP65 PC



MICROWAVE SENSOR



NEW



IP65

Moon BC15-00980

18W 2020lm 3CCT
Emergency Kit & Battery
3600mA 3.7V li-ion
Touch Test Button
220-240V CRI>80
IP65 PC

NIGHT MODE

3CCT



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP54

Grande BC15-00580

20W 2000lm 4CCT
White Daylight Switch
With Sensor
Emergency Kit & Battery
3600mA 3.7V li-ion
Time Adjustable: 30-60-120sec
220-240V CRI>80
IP54 PC

ADJUSTABLE POWER · 5CCT · DAY MODE · NIGHT MODE · MICROWAVE SENSOR





NEW



IP54

Grande BC15-00480

20W 2000lm 4CCT
White Daylight Switch
With Sensor
Time Adjustable: 30-60-120sec
220-240V CRI>80
IP54 PC

ADJUSTABLE POWER · 5CCT · DAY MODE · NIGHT MODE · MICROWAVE SENSOR









LVD · EMC · ErP COMPLIANT · RoHS 2011/65/EU · Hg 0.0mg · > 25,000 · -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Bulb not included.
Suitable For
E27 BULB

BG37-30710
D270
White 1xE27
Max.1x23W
220-240V
IP65 PC



MICROWAVE SENSOR

NEW



IP65

Bulb not included.
Suitable For
E27 BULB

BG37-30712
D270
Grey 1xE27
Max.1x23W
220-240V
IP65 PC



MICROWAVE SENSOR





CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg -20℃ +40℃

5CCT - Color Temperature Changeable

2700K 3000K 4000K 5000K 6500K

CCT Switch

2700K 3000K 4000K 5000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP44

Sensa	BC15 -00300	BC15-00310	BC15-00330
	15W 3000K 1460lm White 220-240V CRI>80 IP20 Metal	15W 4000K 1460lm White 220-240V CRI>80 IP20 Metal	15W 6500K 1460lm White 220-240V CRI>80 IP20 Metal



SENSOR

Jade	BH15-01100	BH15-01110	BH15-01130
	18W 3000K 1740lm White 220-240V CRI>80 IP44 PC	18W 4000K 1740lm White 220-240V CRI>80 IP44 PC	18W 6500K 1740lm White 220-240V CRI>80 IP44 PC



SENSOR

NEW





CCT Switch

Time Switch

Day & Night

ON & OFF

SNS-SRP	BP03-92080	BP03-92081
	20W 3CCT 1800lm White 220-240V CRI>80 IP20 PC	20W 3CCT 1800lm Black 220-240V CRI>80 IP20 PC



3CCT

SENSOR

3CCT - Color Temperature Changeable





CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44

Jade	BH15-02100	BH15-02110	BH15-02130
LED	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC





IP44

Jade	BH15-02200	BH15-02230
LED	30W 3000K	30W 6500K
	3050lm White	3050lm White
F A G	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC



IP44

Jade	BH15-03100	BH15-03110	BH15-03130
LED	20W 3000K	20W 4000K	20W 6500K
	1980lm White	1980lm White	1980lm White
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC	IP44 PC



IP44

Jade	BH15-03200	BH15-03230
LED	30W 3000K	30W 6500K
	2940lm White	2940lm White
F A G	220-240V CRI>80	220-240V CRI>80
	IP44 PC	IP44 PC



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Flammable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





Step BH07-00018

2W 3CCT
200lm Black Silver
220-240V CRI>80
IP20 Aluminium + PC

3CCT

NEW



Step

BH07-00100	BH07-00101	BH07-00103
Steplight Cover Sandy White D97 CR1 PMMA + Aluminium	Steplight Cover Sandy Black D97 CR1 PMMA + Aluminium	Steplight Cover Brushed Silver D97 CR1 PMMA + Aluminium



NEW



Step

BH07-00110	BH07-00111	BH07-00113
Steplight Cover Sandy White D97 CR2 PMMA + Aluminium	Steplight Cover Sandy Black D97 CR2 PMMA + Aluminium	Steplight Cover Brushed Silver D97 CR2 PMMA + Aluminium



NEW



Step

BH07-00150	BH07-00151	BH07-00153
Steplight Cover Sandy White L80 CS1 PMMA + Aluminium	Steplight Cover Sandy Black L80 CS1 PMMA + Aluminium	Steplight Cover Brushed Silver L80 CS1 PMMA + Aluminium



Light Body



+

Cover



=

Light Fixture



Suitable for Ø68mm Junction Box

Easy installation! Just by one click (Without Screw)

3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



Step	BH07-00160	BH07-00161	BH07-00163
	Steplight Cover Sandy White L80 CS2 PMMA + Aluminium	Steplight Cover Sandy Black L80 CS2 PMMA + Aluminium	Steplight Cover Brushed Silver L80 CS2 PMMA + Aluminium



NEW



Step	BH07-00170	BH07-00171	BH07-00173
	Steplight Cover Sandy White L80 CS3 PMMA + Aluminium	Steplight Cover Sandy Black L80 CS3 PMMA + Aluminium	Steplight Cover Brushed Silver L80 CS3 PMMA + Aluminium





NEW



3CCT

Step	BH07-00380	BH07-00381	BH07-00382
	1,5W 3CCT 90lm Sandy White 220-240V CRI>80 IP20 Aluminium + PC	1,5W 3CCT 90lm Sandy Black 220-240V CRI>80 IP20 Aluminium + PC	1,5W 3CCT 90lm Grey 220-240V CRI>80 IP20 Aluminium + PC



SENSOR

LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Avva BH07-03000
8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03001
8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium







Avva BH07-03100
8W 3000K
520lm White
220-240V CRI>80
IP20 Aluminium



Avva BH07-03101
8W 3000K
520lm Black
220-240V CRI>80
IP20 Aluminium



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Avva BH07-03300 BH07-03301

	12W 3000K	12W 3000K
	810lm White	810lm Black
	220-240V CRI>80	220-240V CRI>80
	IP20 Aluminium	IP20 Aluminium



NEW



Leva BH07-03401

	10W 3000K
	1060lm Black
	220-240V CRI>80
	IP20 Aluminium



NEW



Leva BH07-03501

	20W 3000K
	2100lm Black
	220-240V CRI>80
	IP20 Aluminium



NEW



Leva BH07-03601

	30W 3000K
	3260lm Black
	220-240V CRI>80
	IP20 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Nela BH07-03700

12W 3000K
1200lm White
220-240V CRI>80
IP20 Aluminium





Nela BH07-03701

12W 3000K
1200lm Black
220-240V CRI>80
IP20 Aluminium





LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





Tiny BH07-04101

16W 3000K
1160lm Black
220-240V CRI>80
IP20 Aluminium





Tiny BH07-04106

16W 3000K
1160lm Golden
220-240V CRI>80
IP20 Aluminium





Tiny BH07-04201

16W 3000K
1580lm Black
220-240V CRI>80
IP20 Aluminium





Tiny BH07-04206

16W 3000K
1580lm Golden
220-240V CRI>80
IP20 Aluminium



CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP44

Lily BN12-00081

12W 3CCT
1140lm Black
220-240V CRI>80
IP44 Aluminium+PC

3CCT



NEW



IP44

Lily BN12-00085

12W 3CCT
1140lm Chrome
220-240V CRI>80
IP44 Aluminium+PC

3CCT



NEW



IP44

Lily	BN12-00181	BN12-00281
	8W 3CCT 700lm Black 220-240V CRI>80 IP44 Aluminium	16W 3CCT 1600lm Black 220-240V CRI>80 IP44 ABS+PC



3CCT

NEW



IP44

Lily	BN12-00185	BN12-00285
	8W 3CCT 700lm Chrome 220-240V CRI>80 IP44 Aluminium	16W 3CCT 1600lm Chrome 220-240V CRI>80 IP44 ABS+PC



3CCT



3CCT - Color Temperature Changeable





CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Lily BN12-00581

7W 3CCT
600lm Black
220-240V CRI>80
IP44 Aluminium

3CCT



IP44

NEW



Lily BN12-00585

7W 3CCT
600lm Chrome
220-240V CRI>80
IP44 Aluminium

3CCT



IP44

NEW



Lily BN12-00586

7W 3CCT
600lm Golden
220-240V CRI>80
IP44 Aluminium

3CCT



IP44

NEW



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP44

Lily BN12-00410

7W 4000K
600lm White
220-240V CRI>80
IP44 Aluminium



NEW



IP44

Lily BN12-00411

7W 4000K
600lm Black
220-240V CRI>80
IP44 Aluminium





IP44

Mirrora BN12-00603

10W 3000K
900lm Silver
220-240V CRI>80
IP44 Aluminium





IP44

Mirrora BN12-00633

10W 6500K
900lm Silver
220-240V CRI>80
IP44 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44

Aria BN12-00780

12W 3CCT
900lm White
220-240V CRI>80
IP44 Aluminium

3CCT





IP44

Aria BN12-00781

12W 3CCT
900lm Black
220-240V CRI>80
IP44 Aluminium

3CCT





IP44

Aria BN12-00785

12W 3CCT
900lm Chrome
220-240V CRI>80
IP44 Aluminium

3CCT





IP44

Aria BN12-00786

12W 3CCT
900lm Golden
220-240V CRI>80
IP44 Aluminium

3CCT



LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Sara BN12-00880

8W 3CCT
700lm White
220-240V CRI>80
IP20 Metal



3CCT



Sara BN12-00881

8W 3CCT
700lm Black
220-240V CRI>80
IP20 Metal



3CCT



Sara BN12-00885

8W 3CCT
700lm Chrome
220-240V CRI>80
IP20 Metal



3CCT



Sara BN12-00886

8W 3CCT
700lm Golden
220-240V CRI>80
IP20 Metal



3CCT



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Bulkhead	BC17-00700	BC17-00730
	8W 3000K 700lm White 220-240V CRI>80 IP54 PP	8W 6500K 700lm White 220-240V CRI>80 IP54 PP





IP54

Bulkhead	BC17-00900	BC17-00930
	18W 3000K 1780lm White 220-240V CRI>80 IP54 PP	18W 6500K 1780lm White 220-240V CRI>80 IP54 PP







IP54

Bulkhead	BC17-01100	BC17-01130
	12W 3000K 1140lm White 220-240V CRI>80 IP54 PP	12W 6500K 1140lm White 220-240V CRI>80 IP54 PP



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Bulkhead BC18-00280

12W 3CCT
1320lm White
220-240V CRI>80
IP65 PP



3CCT

NEW



IP65

Bulkhead BC18-00281

12W 3CCT
1320lm Black
220-240V CRI>80
IP65 PP



3CCT

NEW



IP65

Bulkhead BC18-00680

12W 3CCT
1320lm White
220-240V CRI>80
IP65 PP



3CCT

NEW



IP65

Bulkhead BC18-00681

12W 3CCT
1320lm Black
220-240V CRI>80
IP65 PP



3CCT

3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Bulkhead	BC18-00300	BC18-00310	BC18-00330	BC18-00380
	25W 3000K 2250lm White 220-240V CRI>80 IP65 PP	25W 4000K 2250lm White 220-240V CRI>80 IP65 PP	25W 6500K 2250lm White 220-240V CRI>80 IP65 PP	18W 3CCT 2020lm White 220-240V CRI>80 IP65 PP

3CCT



NEW



IP65

Bulkhead	BC18-00301	BC18-00311	BC18-00331	BC18-00381
	25W 3000K 2250lm Black 220-240V CRI>80 IP65 PP	25W 4000K 2250lm Black 220-240V CRI>80 IP65 PP	25W 6500K 2250lm Black 220-240V CRI>80 IP65 PP	18W 3CCT 2020lm Black 220-240V CRI>80 IP65 PP

3CCT



NEW



IP65

Bulkhead	BC18-00700	BC18-00710	BC18-00730	BC18-00780
	25W 3000K 2250lm White 220-240V CRI>80 IP65 PP	25W 4000K 2250lm White 220-240V CRI>80 IP65 PP	25W 6500K 2250lm White 220-240V CRI>80 IP65 PP	18W 3CCT 2020lm White 220-240V CRI>80 IP65 PP

3CCT



NEW



IP65

Bulkhead	BC18-00701	BC18-00711	BC18-00731	BC18-00781
	25W 3000K 2250lm Black 220-240V CRI>80 IP65 PP	25W 4000K 2250lm Black 220-240V CRI>80 IP65 PP	25W 6500K 2250lm Black 220-240V CRI>80 IP65 PP	18W 3CCT 2020lm Black 220-240V CRI>80 IP65 PP

3CCT









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Solaris BG36-00281

15W 3CCT
1500lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



NEW



IP54

Miles BG36-10110

30W 4000K
3300lm White
220-240V CRI>70
IP54 PC



SENSOR



IP54

Solaris BG36-00130

3W 6500K
240lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



NEW



IP54

Solaris BG36-00140

6W 6500K
600lm White
Voltage: Solar Panel Energy
CRI>80 IP54 ABS



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW



SOLAR

SENSOR

IP54



Solaris BG36-00381

10W 3CCT
1000lm Black
Voltage: Solar Panel Energy
CRI>80 IP54 ABS+PC



NEW



STEP DIMMABLE

SOLAR

IP65

Spike BG36-00582

12W 2 CCT (3000K-6500K)
300lm Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC



NEW



STEP DIMMABLE

SOLAR

IP65

Spike BG36-00592

12W RGB
Grey
Voltage: Solar Panel Energy
CRI>70 IP65 PC



CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44 3CCT

Veneto BG37-00381

10W 3CCT
950lm White
220-240V CRI>80
IP44 PC





IP44 3CCT

Veneto BG37-00481

20W 3CCT
1900lm White
220-240V CRI>80
IP44 PC





IP44 3CCT

Veneto BG37-00381

10W 3CCT
950lm Black
220-240V CRI>80
IP44 PC







IP44 3CCT

Veneto BG37-00481

20W 3CCT
1900lm Black
220-240V CRI>80
IP44 PC







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



3CCT

IP65



Palermo	BG37-00080	BG37-00081
	8W 3CCT 760lm White 220-240V CRI>80 IP65 PC	8W 3CCT 760lm Black 220-240V CRI>80 IP65 PC





3CCT

IP65



Palermo	BG37-00180	BG37-00181	BG37-00182	BG37-00183
	10W 3CCT 950lm White 220-240V CRI>80 IP65 PC	10W 3CCT 950lm Black 220-240V CRI>80 IP65 PC	10W 3CCT 950lm Grey 220-240V CRI>80 IP65 PC	10W 3CCT 950lm Blue 220-240V CRI>80 IP65 PC







3CCT

IP65



Palermo	BG37-00280	BG37-00281	BG37-00282	BG37-00283	BG37-00286
	12W 3CCT 1160lm White 220-240V CRI>80 IP65 PC	12W 3CCT 1160lm Black 220-240V CRI>80 IP65 PC	12W 3CCT 1160lm Grey 220-240V CRI>80 IP65 PC	12W 3CCT 1160lm Blue 220-240V CRI>80 IP65 PC	12W 3CCT 1160lm Golden 220-240V CRI>80 IP65 PC









*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

IP65 3CCT

Walls	BG38-01001	BG38-01011	BG38-01082
LED	15W 3000K	15W 4000K	15W 3CCT
	1450lm Black	1450lm Black	1450lm Grey
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



NEW

IP65 3CCT

Walls	BG38-01101	BG38-01111	BG38-01182
LED	15W 3000K	15W 4000K	15W 3CCT
	1450lm Black	1450lm Black	1450lm Grey
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



NEW

IP65 3CCT

Walls	BG38-01201	BG38-01211	BG38-01282
LED	15W 3000K	15W 4000K	15W 3CCT
	1450lm Black	1450lm Black	1450lm Grey
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC



NEW

IP65 3CCT

Walls	BG38-01301	BG38-01311	BG38-01382
LED	15W 3000K	15W 4000K	15W 3CCT
	1450lm Black	1450lm Black	1450lm Grey
F A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

3CCT

Walls BG38-01481

15W 3CCT
1450lm Black
220-240V CRI>80
IP65 PC



NEW



IP65

3CCT

Walls BG38-01581

15W 3CCT
1450lm Black
220-240V CRI>80
IP65 PC





3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

3CCT

Walls	BG38-00102	BG38-00112	BG38-00132	BG38-00182
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
F A G	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC





IP65

3CCT

Walls	BG38-00302	BG38-00312	BG38-00332	BG38-00382
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
F A G	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC





IP65

3CCT

Walls	BG38-00202	BG38-00212	BG38-00232	BG38-00282
LED	15W 3000K	15W 4000K	15W 6500K	15W 3CCT
F A G	1460lm Black	1460lm Black	1460lm Black	1460lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC	IP65 PC





IP65

Walls	BG38-00402	BG38-00482
LED	20W 3000K	20W 3CCT
F A G	1980lm Black	1980lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3CCT

SENSOR

3CCT - Color Temperature Changeable

3000K 4000K 6500K



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Walls	BG38-00702	BG38-00712	BG38-00732
	12W 3000K 1140lm Grey 220-240V CRI>80 IP65 PC	12W 4000K 1140lm Grey 220-240V CRI>80 IP65 PC	12W 6500K 1140lm Grey 220-240V CRI>80 IP65 PC





IP65

Walls	BG38-00902	BG38-00912	BG38-00932
	15W 3000K 1450lm Grey 220-240V CRI>80 IP65 PC	15W 4000K 1450lm Grey 220-240V CRI>80 IP65 PC	15W 6500K 1450lm Grey 220-240V CRI>80 IP65 PC



NEW



IP65

Napoli	BG37-00582
	20W 3CCT 2000lm Grey 220-240V CRI>80 IP65 PC





3CCT - Color Temperature Changeable





CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





IP65

Bulb not included.
Suitable For E27 BULB



BG37-00700
D300
White 1xE27
Max.1x23W
220-240V
IP65 PC



NEW





IP65

Bulb not included.
Suitable For E27 BULB



BG37-00710
D270
White 1xE27
Max.1x23W
220-240V
IP65 PC



NEW





IP65

Bulb not included.
Suitable For E27 BULB



BG37-00702
D300
Grey 1xE27
Max.1x23W
220-240V
IP65 PC



NEW





IP65

Bulb not included.
Suitable For E27 BULB



BG37-00712
D270
Grey 1xE27
Max.1x23W
220-240V
IP65 PC





LVD · EMC · ErP COMPLIANT · RoHS 2011/65/EU · Hg 0.0mg · > 25,000 · -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW





IP65

Line	BG38-03501
LED	18W 3000K 1860lm Black
F A G	220-240V CRI>80 IP65 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

3CCT

Vekta BG38-02682

1x6W 3CCT
600lm Grey
220-240V CRI>80
IP65 PC





IP65

Vekta BG38-02782

2x6W 3CCT
1200lm Grey
220-240V CRI>80
IP65 PC



3CCT

3CCT - Color Temperature Changeable

3000K 4000K 6500K



LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

Vekta BG38-02480

1x9W 3CCT
900lm White
220-240V CRI>80
IP65 PC



3CCT



IP65

Vekta BG38-02482

1x9W 3CCT
900lm Grey
220-240V CRI>80
IP65 PC



3CCT



IP65

Vekta BG38-02580

2x9W 3CCT
1780lm White
220-240V CRI>80
IP65 PC



3CCT



IP65

Vekta BG38-02582

2x9W 3CCT
1780lm Grey
220-240V CRI>80
IP65 PC



3CCT

LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Vekta	BG38-02000	BG38-02080
LED	3W 3000K 240lm White 220-240V CRI>80 IP65 PC	3W 3CCT 240lm White 220-240V CRI>80 IP65 PC



3CCT

NEW



IP65

Vekta	BG38-02001	BG38-02081
LED	3W 3000K 240lm Black 220-240V CRI>80 IP65 PC	3W 3CCT 240lm Black 220-240V CRI>80 IP65 PC



3CCT

NEW



IP65

Vekta	BG38-02100	BG38-02180
LED	3W 3000K 240lm White 220-240V CRI>80 IP65 PC	3W 3CCT 240lm White 220-240V CRI>80 IP65 PC



3CCT

NEW



IP65

Vekta	BG38-02101	BG38-02181
LED	3W 3000K 240lm Black 220-240V CRI>80 IP65 PC	3W 3CCT 240lm Black 220-240V CRI>80 IP65 PC



3CCT



LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

VEKTA	BG38-01880	BG38-01882
	3W 3CCT 180lm White 220-240V CRI>80 IP65 PC	3W 3CCT 180lm Grey 220-240V CRI>80 IP65 PC



3CCT





IP65

VEKTA	BG38-01980	BG38-01982
	3W 3CCT 180lm White 220-240V CRI>80 IP65 PC	3W 3CCT 180lm Grey 220-240V CRI>80 IP65 PC



3CCT





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Vector	BG38-03180	BG38-03182
	2x1W 3CCT	2x1W 3CCT
	180lm White	180lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC

3CCT



IP65

Vector	BG38-03380	BG38-03382
	6x1W 3CCT	6x1W 3CCT
	480lm White	480lm Grey
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC

3CCT



IP65

Vector	BG38-03282
	4x1W 3CCT
	320lm Grey
	220-240V CRI>80
	IP65 PC

3CCT



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Bulb not included.

Suitable For G9 BULB

BG38-03400
Vekta
White 1xG9
Max.1x10w
220-240V
IP54 Aluminium





IP54

Bulb not included.

Suitable For G9 BULB

BG38-03401
Vekta
Black 1xG9
Max.1x10w
220-240V
IP54 Aluminium





IP54

Bulb not included.

Suitable For G9 BULB

BG38-03402
Vekta
Grey 1xG9
Max.1x10w
220-240V
IP54 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

Vector BG38-02200
2W 3000K
240lm White
220-240V CRI>80
IP65 Aluminium





IP65

Vector BG38-02201
2W 3000K
240lm Black
220-240V CRI>80
IP65 Aluminium





IP65

Vector BG38-02300
2W 3000K
240lm White
220-240V CRI>80
IP65 Aluminium





IP65

Vector BG38-02301
2W 3000K
240lm Black
220-240V CRI>80
IP65 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44

Bulb not included.
Suitable For GU10 BULB
50mm

BG32-00200
Rita
White 1xGU10
Max.1x35w
220-240V
IP44 Aluminium





IP44

Bulb not included.
Suitable For GU10 BULB
50mm

BG32-00202
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium







IP44

Bulb not included.
Suitable For GU10 BULB
50mm

BG32-00402
RITA
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP44



BG32-00220
Rita
White 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44



BG32-00222
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



IP44



BG32-00422
RITA
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP44

Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00302
Rita
Grey 1xGU10
Max.1x35w
220-240V
IP44 Aluminium





IP44

Bulb not included.
Suitable For
GU10 BULB
50mm

BG32-00322
Rita
Grey 2xGU10
Max.2x35w
220-240V
IP44 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65



Spotlux	BT25-00102	BT25-00132	BT25-00152	BT25-00172
LED	9W 3000K 680lm Grey	9W 6500K 680lm Grey	9W Green Grey 220-240V	9W Amber Grey 220-240V
F A G	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium	CRI>80 IP65 Aluminium	CRI>80 IP65 Aluminium

NEW



IP65



Spotlux	BT25-00201	BT25-00231	BT25-00251
LED	7W 3000K 700lm Black	7W 6500K 700lm Black	7W GREEN N/A Black
F A G	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium	220-240V CRI>80 IP65 Aluminium



IP65



BT25-00351
Spotlux
Black 1xGU10
Max.1x35w
220-240V
IP65 PC



IP67

Indus BT27-00101

LED Max.1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS





IP67

Indus BT27-00111

LED Max.1x35W
1xGU10 Nickel
220-240V
IP67 Aluminium+304SS



CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP54

Pirus BG40-00502

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium





IP54

Pirus BG40-00602

10W 3000K
930lm Grey
220-240V CRI>80
IP54 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

Dallas BG43-02002

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium





IP54

Dallas BG43-02102

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium





IP54

Dallas BG43-02302

7W 3000K
600lm Grey
220-240V CRI>80
IP54 Aluminium





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP44

BG43-04002
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04102
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04202
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium



IP44

BG43-04302
Milano
Grey 1xE27
Max.1x23W
220-240V
IP44 Aluminium

CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54

BG43-03002

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium





IP54

BG43-03102

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium



SENSOR



IP54

BG43-03202

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium





IP54

BG43-03302

Paris
Grey 1xE27
Max. 1x23W
220-240V
IP54 Aluminium





LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



Proline	BT07-00610	BT07-00630
	16W 4000K	16W 6500K
	1600lm White	1600lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



Proline	BT07-01210	BT07-01230
	32W 4000K	32W 6500K
	3400lm White	3400lm White
	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC

NEW



Aqualine	BT04-01210	BT04-01230	BT04-01280
	42W 3000K	42W 6500K	42W 3CCT
	4800lm White	4800lm White	4800lm White
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 ABS	IP65 ABS	IP65 ABS

3CCT



3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65



Linkable Max Up To 8 PCS

Proline	BT07-30610	BT07-30630	BT07-30680
LED	20W 4000K	20W 6500K	20W 3CCT
	2240lm White	2240lm White	2240lm White
E A+	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC

3CCT



NEW



IP65



Linkable Max Up To 4 PCS

Proline	BT07-31210	BT07-31230	BT07-31280
LED	40W 4000K	40W 6500K	40W 3CCT
	4500lm White	4500lm White	4500lm White
E A+	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC

3CCT



NEW



IP65



Linkable Max Up To 3 PCS

Proline	BT07-31510	BT07-31530	BT07-31580
LED	60W 4000K	60W 6500K	60W 3CCT
	6300lm White	6300lm White	6300lm White
F A+	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC	IP65 PC

3CCT



NEW



IP65



Linkable Max Up To 2 PCS

Proline	BT07-61510	BT07-61530
LED	85W 4000K	85W 6500K
	8800lm White	8800lm White
F A+	220-240V CRI>80	220-240V CRI>80
	IP65 PC	IP65 PC



3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65



IP65

BT05-11282

Aqualine 1x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-11283

Aqualine 1x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included

BT05-11582

Aqualine 1x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-11583

Aqualine 1x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included

BT05-10685

Aqualine 1x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-20685

Aqualine 2x0.6mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-20682

Aqualine 2x0.6mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-20683

Aqualine 2x0.6mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included

BT05-21282

Aqualine 2x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21283

Aqualine 2x1.2mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included

BT05-11285

Aqualine 1x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21285

Aqualine 2x1.2mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21582

Aqualine 2x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21583

Aqualine 2x1.5mt
Double/Single Side
T8 G13 220-240V
IP65 ABS
Bulb not included

BT05-11585

Aqualine 1x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



BT05-21585

Aqualine 2x1.5mt
Double Side Tube
T8 G13 220-240V
IP65 ABS
Bulb not included



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Flammable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

SOLAR PRODUCTS

NEW



DIMMABLE
REMOTE
SOLAR
SENSOR

IP65

Lamp Power: 50W

Solar BT43-03031

6500K
1350lm Black
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>70 IP65 PC



NEW



DIMMABLE
REMOTE
SOLAR
SENSOR

IP65

Lamp Power: 100W

Solar BT43-05031

6500K
1800lm Black
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>70 IP65 PC





LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 SOLAR REMOTE DIMMABLE SENSOR 3CCT

Solar BT64-00681

Lamp Power: 50W 3CCT
600lm(@%100 Brightness) Black
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-10681

Lamp Power: 50W 3CCT
600lm(@%100 Brightness) Black
Solar Capacity: 15W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



IP65 SOLAR REMOTE DIMMABLE SENSOR 3CCT

Solar BT64-01281

Lamp Power: 100W 3CCT
1200lm(@%100 Brightness) Black
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-11281

Lamp Power: 100W 3CCT
1200lm(@%100 Brightness) Black
Solar Capacity: 30W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



IP65 SOLAR REMOTE DIMMABLE SENSOR 3CCT

Solar BT64-01881

Lamp Power: 150W 3CCT
1800lm(@%100 Brightness) Black
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-11881

Lamp Power: 150W 3CCT
1800lm(@%100 Brightness) Black
Solar Capacity: 50W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

NEW



IP65 SOLAR REMOTE DIMMABLE SENSOR 3CCT

Solar BT64-02481

Lamp Power: 250W 3CCT
3000lm(@%100 Brightness) Black
Solar Capacity: 75W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

BT64-12081

Lamp Power: 200W 3CCT
2400lm(@%100 Brightness) Black
Solar Capacity: 70W
Voltage: Solar Panel Energy
CRI>80 IP65 ABS+PC

3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Hibay	BT45-29111	BT45-29131
LED	100W 4000K 14000lm Black	100W 6500K 14000lm Black
D A/C	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium





BT45-99001

291x1 Black
For 100w Bracket





IP65

Hibay	BT45-29611	BT45-29631
LED	200W 4000K 28000lm Black	200W 6500K 28000lm Black
D A/C	100-265V CRI>80 IP65 Aluminium	100-265V CRI>80 IP65 Aluminium





BT45-99002

294x1 Black
For 150w Bracket





BT45-99003

296x1 Black
For 200w Bracket



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Hibay	BT45-39111	BT45-39131
LED	100W 4000K	100W 6500K
	12000lm Black	12000lm Black
	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium





IP65

Hibay	BT45-39611	BT45-39631	BT45-39681
LED	200W 4000K	200W 6500K	200W 3CCT
	24000lm Black	24000lm Black	24000lm Black
	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium

3CCT



NEW



IP65

Hibay	BT45-59181	
LED	Black	60W - 4000K - 9000lm
	220-240V	60W - 5000K - 10200lm
	CRI>70	60W - 6500K - 9000lm
	IP65	80W - 4000K - 12000lm
	Aluminium	80W - 5000K - 13600lm
		80W - 6500K - 12000lm
		100W - 4000K - 15000lm
		100W - 5000K - 17000lm
		100W - 6500K - 15000lm

ADJUSTABLE POWER

3CCT



NEW



IP65

Hibay	BT45-59681	
LED	Black	150W - 4000K - 22500lm
	110-277V	150W - 5000K - 25500lm
	CRI>70	150W - 6500K - 22500lm
	IP65	175W - 4000K - 26250lm
	Aluminium	175W - 5000K - 29750lm
		175W - 6500K - 26250lm
		200W - 4000K - 30000lm
		200W - 5000K - 34000lm
		200W - 6500K - 30000lm

ADJUSTABLE POWER

3CCT



3CCT - Color Temperature Changeable





CE LVD EMC ErP COMPLIANT RoHS 2015/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Hibay BT45-39181

100W 3CCT
13000lm Black
220-240V CRI>80
IP65 Aluminium



3CCT

NEW



IP65

Hibay BT45-39681

200W 3CCT
26000lm Black
220-240V CRI>80
IP65 Aluminium



3CCT



3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 3CCT

Flood BT65-01082

10W 3CCT
1100lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65 3CCT

Flood BT65-02082

20W 3CCT
2200lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65 3CCT

Flood BT65-03082

30W 3CCT
3300lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65 3CCT

Flood BT65-05082

50W 3CCT
5500lm Grey
220-240V CRI>80
IP65 Aluminium



3CCT - Color Temperature Changeable







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

3CCT

Flood BT65-09182

100W 3CCT
11000lm Grey
220-240V CRI>80
IP65 Aluminium



NEW



IP65

3CCT

Flood BT65-09682

200W 3CCT
22000lm Grey
220-240V CRI>80
IP65 Aluminium





NEW



IP65

3CCT

Flood BT65-09882

300W 3CCT
33000lm Grey
220-240V CRI>80
IP65 Aluminium



CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg > 25,000 -20°C +40°C

3CCT - Color Temperature Changeable

3000K 4000K 6500K



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Flood BT65-23082
30W 3CCT
3300lm Grey
220-240V CRI>80
IP65 Aluminium

SENSOR
3CCT



NEW



IP65

Flood BT65-21082
10W 3CCT
1100lm Grey
220-240V CRI>80
IP65 Aluminium

SENSOR
3CCT



NEW



IP65

Flood BT65-25082
50W 3CCT
5500lm Grey
220-240V CRI>80
IP65 Aluminium

SENSOR
3CCT





3CCT - Color Temperature Changeable

3000K | 4000K | 6500K



CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 3CCT

Flood BT60-51080

10W 3CCT
950lm White
220-240V CRI>70
IP65 Aluminium



NEW



IP65 3CCT

Flood BT60-52080

20W 3CCT
1900lm White
220-240V CRI>70
IP65 Aluminium



NEW



IP65 3CCT

Flood BT60-53080

30W 3CCT
2850lm White
220-240V CRI>70
IP65 Aluminium



NEW



IP65 3CCT

Flood BT60-55080

50W 3CCT
4750lm White
220-240V CRI>70
IP65 Aluminium



3CCT - Color Temperature Changeable

3000K 4000K 6500K

CCT Switch

4000K 3000K 6500K

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 3CCT

Flood BT60-59180

100W 3CCT
9500lm White
220-240V CRI>70
IP65 Aluminium



NEW



IP65 3CCT SENSOR

Flood BT60-63080

30W 3CCT
2850lm White
220-240V CRI>70
IP65 Aluminium





3CCT - Color Temperature Changeable

3000K | 4000K | 6500K



CE LVD EMC ErP RoHS Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Flood	BT66-01031	
LED	10W 6500K	
	1000lm Black	
F A G	220-240V CRI>80	
	IP65 Aluminium	



NEW



IP65

Flood	BT66-02031	
LED	20W 6500K	
	2200lm Black	
E A G	220-240V CRI>80	
	IP65 Aluminium	



NEW



IP65

Flood	BT66-03001	BT66-03031	
LED	30W 3000K	30W 6500K	
	3300lm Black	3300lm Black	
E A G	220-240V CRI>80	220-240V CRI>80	
	IP65 Aluminium	IP65 Aluminium	



NEW



IP65

Flood	BT66-05001	BT66-05011	BT66-05031
LED	50W 3000K	50W 4000K	50W 6500K
	5500lm Black	5500lm Black	5500lm Black
E A G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65

Flood	BT66-09101	BT66-09111	BT66-09131
	100W 3000K 11000lm Black 220-240V CRI>80 IP65 Aluminium	100W 4000K 11000lm Black 220-240V CRI>80 IP65 Aluminium	100W 6500K 11000lm Black 220-240V CRI>80 IP65 Aluminium



NEW



IP65

Flood	BT66-09431
	150W 6500K 16500lm Black 220-240V CRI>80 IP65 Aluminium



NEW



IP65

Flood	BT66-09631
	200W 6500K 22000lm Black 220-240V CRI>80 IP65 Aluminium





LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP54 SENSOR

Flood BT66-22031

20W 6500K
2200lm Black
220-240V CRI>80
IP54 Aluminium



NEW



IP54 SENSOR

Flood BT66-23031

30W 6500K
3300lm Black
220-240V CRI>80
IP54 Aluminium





NEW



IP54 SENSOR

Flood BT66-25031

50W 6500K
5500lm Black
220-240V CRI>80
IP54 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 REMOTE Dimmable

Flood BT66-02091

20W RGB
Black
220-240V CRI>80
IP65 Aluminium



NEW



IP65 REMOTE Dimmable

Flood BT66-03091

30W RGB
Black
220-240V CRI>80
IP65 Aluminium



NEW



IP65 REMOTE Dimmable

Flood BT66-05091

50W RGB
Black
220-240V CRI>80
IP65 Aluminium





LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP65 3CCT

Flood BT60-95081

50W 3CCT
4200lm Black
220-240V CRI>70
IP65 Aluminium



NEW



IP65 3CCT

Flood BT60-99181

100W 3CCT
8500lm Black
220-240V CRI>70
IP65 Aluminium





Rechargeable with battery



IP54

WLB20 BT59-00231

20W 6500K
2000lm Black
3.7V 6600mA CRI>80
IP54 Aluminium



STEP DIMMABLE

3CCT - Color Temperature Changeable





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com





IP65

Flood	BT60-31001	BT60-31011	BT60-31031
LED	10W 3000K 800lm Black 220-240V CRI>70 IP65 Aluminium	10W 4000K 800lm Black 220-240V CRI>70 IP65 Aluminium	10W 6500K 800lm Black 220-240V CRI>70 IP65 Aluminium





IP65
Dimmable

Flood	BT60-31041	BT60-31051	BT60-31061	BT60-31091
LED	10W Red Black 220-240V CRI>70 IP65 Aluminium	10W Green Black 220-240V CRI>70 IP65 Aluminium	10W Blue Black 220-240V CRI>70 IP65 Aluminium	10W RGB Black Dimmable 220-240V CRI>70 IP65 Aluminium





IP65
Dimmable

Flood	BT60-32001	BT60-32011	BT60-32031	BT60-32091
LED	20W 3000K 1620lm Black 220-240V CRI>70 IP65 Aluminium	20W 4000K 1620lm Black 220-240V CRI>70 IP65 Aluminium	20W 6500K 1620lm Black 220-240V CRI>70 IP65 Aluminium	20W RGB Black Dimmable 220-240V CRI>70 IP65 Aluminium





IP65
Dimmable

Flood	BT60-33001	BT60-33011	BT60-33031	BT60-33091
LED	30W 3000K 2550lm Black 220-240V CRI>70 IP65 Aluminium	30W 4000K 2550lm Black 220-240V CRI>70 IP65 Aluminium	30W 6500K 2550lm Black 220-240V CRI>70 IP65 Aluminium	30W Black Dimmable 220-240V CRI>70 IP65 Aluminium

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Dimmable

Flood	BT60-35001	BT60-35011	BT60-35031	BT60-35051	BT60-35091
	50W 3000K 4200lm Black	50W 4000K 4200lm Black	50W 6500K 4200lm Black	50W Green Black	50W RGB Black
	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium





IP65

Flood	BT60-39101	BT60-39111	BT60-39131
	100W 3000K 8500lm Black	100W 4000K 8500lm Black	100W 6500K 8500lm Black
	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium





IP65

Flood	BT60-39401	BT60-39411	BT60-39431
	150W 3000K 13000lm Black	150W 4000K 13000lm Black	150W 6500K 13000lm Black
	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium





IP65

Flood	BT60-39601	BT60-39611	BT60-39631
	200W 3000K 17200lm Black	200W 4000K 17200lm Black	200W 6500K 17200lm Black
	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium	220-240V CRI>70 IP65 Aluminium



LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP54 SENSOR

Flood	BT60-41031	
LED	10W 6500K 800lm Black	
F A G	220-240V CRI>70 IP54 Aluminium	





IP54 SENSOR

Flood	BT60-42001	BT60-42031
LED	20W 3000K 1620lm Black	20W 6500K 1620lm Black
F A G	220-240V CRI>70 IP54 Aluminium	220-240V CRI>70 IP54 Aluminium





IP54 SENSOR

Flood	BT60-43031
LED	30W 6500K 2550lm Black
F A G	220-240V CRI>70 IP54 Aluminium





IP54 SENSOR

Flood	BT60-45031
LED	50W 6500K 4200lm Black
F A G	220-240V CRI>70 IP54 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-01002	BT61-01032
LED	10W 3000K	10W 6500K
	800lm Grey	800lm Grey
F A G	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium





IP65

Flood	BT61-02002	BT61-02032	BT61-02052
LED	20W 3000K	20W 6500K	20W Green
	1620lm Grey	1620lm Grey	1620lm Grey
F A G	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium





IP65

Flood	BT61-03002	BT61-03032
LED	30W 3000K	30W 6500K
	2400lm Grey	2400lm Grey
F A G	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium





IP65

Flood	BT61-05002	BT61-05012	BT61-05032	BT61-05052
LED	50W 3000K	50W 4000K	50W 6500K	50W Green
	4100lm Grey	4100lm Grey	4100lm Grey	Grey
F A G	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg Non-Dimmable > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



IP65

Flood	BT61-09102	BT61-09112	BT61-09132
LED	100W 3000K	100W 4000K	100W 6500K
	8300lm Grey	8300lm Grey	8300lm Grey
F A I G	220-240V CRI>80	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium	IP65 Aluminium





IP65

Flood	BT61-09402	BT61-09432
LED	150W 3000K	150W 6500K
	12200lm Grey	12200lm Grey
F A I G	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium





IP65

Flood	BT61-09602	BT61-09632
LED	200W 3000K	200W 6500K
	16000lm Grey	16000lm Grey
F A I G	220-240V CRI>80	220-240V CRI>80
	IP65 Aluminium	IP65 Aluminium





IP54

Flood	BT61-23002	BT61-23032
LED	30W 3000K	30W 6500K
	2400lm Grey	2400lm Grey
F A I G	220-240V CRI>70	220-240V CRI>70
	IP54 Aluminium	IP54 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


LED STREET LIGHT



IP66

ST83	BT42-83012	BT42-83032
LED	30W 4000K	30W 6500K
	3300lm Grey	3300lm Grey
E A G	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



IP66

ST83	BT42-85012	BT42-85032
LED	50W 4000K	50W 6500K
	5600lm Grey	5600lm Grey
E A G	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



IP66

ST83	BT42-89112	BT42-89132
LED	100W 4000K	100W 6500K
	11500lm Grey	11500lm Grey
E A G	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium

CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



IP66

ST89	BT42-93012	BT42-93032	BT42-95012	BT42-95032
	30W 4000K	30W 6500K	50W 4000K	50W 6500K
	3300lm Grey	3300lm Grey	5500lm Grey	5500lm Grey
	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium	IP66 Aluminium	IP66 Aluminium





NEW



IP66

ST89	BT42-99112	BT42-99132
	100W 4000K	100W 6500K
	11000lm Grey	11000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW



IP66

ST89	BT42-99412	BT42-99432
	150W 4000K	150W 6500K
	16500lm Grey	16500lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



NEW



IP66

ST89	BT42-99612	BT42-99632
	200W 4000K	200W 6500K
	22000lm Grey	22000lm Grey
	220-240V CRI>70	220-240V CRI>70
	IP66 Aluminium	IP66 Aluminium



CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



LED EMERGENCY EXITS

NEW



PICTOGRAMS INCLUDED



IP54

BC14-00800
White 3W
Dual Mode
Maintained and
Non-Maintained
220-240VAC ABS
LiFePO4 Battery









PICTOGRAMS INCLUDED



IP65

BC14-00900
White 5W
Maintained and
Non-Maintained
220-240VAC ABS
Lithium Battery







PICTOGRAMS NOT INCLUDED FOR BC14-00900



BC14-01311



BC14-01313



BC14-01314

CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg > 25,000 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



PICTOGRAMS INCLUDED



BC14-01315 BC14-01301



BC14-01310 BC14-01302

BC14-01100
White 2W
Maintained
220-240VAC ABS
Ni-MH Battery









PICTOGRAMS INCLUDED



BC14-01315 BC14-01301



BC14-01310 BC14-01302

BC14-01120
White
2W
Maintained
220-240VAC ABS
Ni-MH Battery







PICTOGRAMS NOT INCLUDED FOR ABOVE MODELS



BC14-01306



BC14-01304



BC14-01303



BC14-01305



BC14-01307



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BM30 BC01-00130

2W 6500K
30Led White
220-240V IP20
ABS





BM60 BC01-00330

4W 6500K
60Led White
220-240V IP20
ABS





BM90 BC01-00430

6W 6500K
90Led White
220-240V IP20
PC





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BULBS & TUBES

- LED CANDLE BULB
- LED GLOBE BULB
- LED A SHAPE BULB
- LED T SHAPE BULB
- LED SENSOR BULB
- LED GU10 BULB
- LED MR16 BULB
- LED CAPSULE BULB
- LED R BULB
- LED FILAMENT BULB
- LED TUBE

The Ultimate Light Experience

Make home sweet home even sweeter with the right solution

We are committed to delivering expanded value to our customers by providing superior lighting and controls solutions, light your home smarter. Create your own uniqueness, Create your future,

Think Smart, Live Smart.





works with the Google Assistant

WORKS WITH amazon alexa

Works with Siri Shortcuts

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	VOLTAGE	P.F.	BEAM ANGLE	PCS/CTN
BA13-00929	A60	E27	RGBW+CW	9W	220-240VAC	>0.5	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	VOLTAGE	P.F.	BEAM ANGLE	PCS/CTN
BA24-00559	GU10	GU10	RGBCW	5W	220-240VAC	>0.5	110°	100



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-00880	A60	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	8.5W	880Lm	220-240VAC	>80	220°	100







5CCT



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01080	A60	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	10.5W	1160Lm	220-240VAC	>80	220°	100







5CCT



MODEL NO	TYPE	SOCKET	CCT	Color	WATT	LUMEN	VOLTAGE	CRI ≥	BEAM ANGLE	PCS/CTN
BA13-01380	A65	E27	5 CCT	2700K 3000K 4000K 5000K 6500K	13.5W	1520Lm	220-240VAC	>80	220°	100







5CCT







*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA07-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100
BA07-00710	C37	E14	3000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA07-00713	C37	E14	6500K	6.5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00510	C37	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00511	C37	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00513	C37	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00710	C37	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA09-00711	C37	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA09-00713	C37	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00520	C37	E27	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA09-00523	C37	E27	6500K	5W	35W	450Lm	220-240VAC	180°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA09-00720	C37	E27	3000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA09-00721	C37	E27	4000K	6.5W	45W	560Lm	220-240VAC	180°	100
BA09-00723	C37	E27	6500K	6.5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00510	P45	E14	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00511	P45	E14	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00513	P45	E14	6500K	5W	35W	450Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00710	P45	E14	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00711	P45	E14	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00713	P45	E14	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00520	G45	E27	3000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00521	G45	E27	4000K	5W	35W	450Lm	220-240VAC	180°	100
BA11-00523	G45	E27	6500K	5W	35W	450Lm	220-240VAC	180°	100

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA11-00720	G45	E27	3000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00721	G45	E27	4000K	6,5W	45W	560Lm	220-240VAC	180°	100
BA11-00723	G45	E27	6500K	6,5W	45W	560Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-00520	A60	E27	3000K	5W	40W	470Lm	220-240VAC	180°	100
BA13-00523	A60	E27	6500K	5W	40W	470Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-00920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-00921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-00923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



DIMMABLE

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-60920	A60	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-60921	A60	E27	4000K	9W	60W	806Lm	220-240VAC	180°	100
BA13-60923	A60	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01120	A60	E27	3000K	11W	75W	1055Lm	220-240VAC	180°	100
BA13-01121	A60	E27	4000K	11W	75W	1055Lm	220-240VAC	180°	100
BA13-01123	A60	E27	6500K	11W	75W	1055Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01220	A60	E27	3000K	12W	75W	1055Lm	220-240VAC	180°	100
BA13-01221	A60	E27	4000K	12W	75W	1055Lm	220-240VAC	180°	100
BA13-01223	A60	E27	6500K	12W	75W	1055Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01320	A60	E27	3000K	13W	90W	1350Lm	220-240VAC	180°	100
BA13-01321	A60	E27	4000K	13W	90W	1350Lm	220-240VAC	180°	100
BA13-01323	A60	E27	6500K	13W	90W	1350Lm	220-240VAC	180°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12.500 -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01520	A60	E27	3000K	15W	90W	1350Lm	220-240VAC	180°	100
BA13-01521	A60	E27	4000K	15W	90W	1350Lm	220-240VAC	180°	100
BA13-01523	A60	E27	6500K	15W	90W	1350Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01620	A70	E27	3000K	16W	105W	1620Lm	220-240VAC	180°	100
BA13-01621	A70	E27	4000K	16W	105W	1620Lm	220-240VAC	180°	100
BA13-01623	A70	E27	6500K	16W	105W	1620Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-01820	A70	E27	3000K	18W	105W	1800Lm	220-240VAC	180°	100
BA13-01821	A70	E27	4000K	18W	105W	1800Lm	220-240VAC	180°	100
BA13-01823	A70	E27	6500K	18W	105W	1800Lm	220-240VAC	180°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-31023	A65	E27	6500K	10W	60W	806Lm	220-240VAC	180°	50

BATTERY

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



SENSOR

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA14-70920	A60-Sensor	E27	3000K	9W	60W	806Lm	220-240VAC	180°	100
BA14-70923	A60-Sensor	E27	6500K	9W	60W	806Lm	220-240VAC	180°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA33-01420	G95	E27	3000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01421	G95	E27	4000K	14W	90W	1360Lm	220-240VAC	180°	36
BA33-01423	G95	E27	6500K	14W	90W	1360Lm	220-240VAC	180°	36



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00610	R50	E14	3000K	6W	45W	550Lm	220-240VAC	150°	100
BA34-00613	R50	E14	6500K	6W	45W	550Lm	220-240VAC	150°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA34-00920	R63	E27	3000K	9W	60W	830Lm	220-240VAC	150°	100
BA34-00923	R63	E27	6500K	9W	60W	830Lm	220-240VAC	150°	100

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-31820	T80	E27	3000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31821	T80	E27	4000K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-31823	T80	E27	6500K	18W	130W	2100Lm	220-240VAC	180°	40
BA13-32020	T80	E27	3000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32021	T80	E27	4000K	20W	130W	2100Lm	220-240VAC	180°	40
BA13-32023	T80	E27	6500K	20W	130W	2100Lm	220-240VAC	180°	40



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-32820	T100	E27	3000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32821	T100	E27	4000K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-32823	T100	E27	6500K	28W	175W	3000Lm	220-240VAC	180°	30
BA13-33020	T100	E27	3000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33021	T100	E27	4000K	30W	175W	3000Lm	220-240VAC	180°	30
BA13-33023	T100	E27	6500K	30W	175W	3000Lm	220-240VAC	180°	30



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-33820	T120	E27	3000K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-33823	T120	E27	6500K	38W	250W	4260Lm	220-240VAC	180°	20
BA13-34020	T120	E27	3000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34021	T120	E27	4000K	40W	250W	4260Lm	220-240VAC	180°	20
BA13-34023	T120	E27	6500K	40W	250W	4260Lm	220-240VAC	180°	20



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA13-35021	T140	E27	4000K	50W	320W	5500Lm	220-240VAC	180°	8
BA13-35023	T140	E27	6500K	50W	320W	5500Lm	220-240VAC	180°	8

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



3CCT

MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA23-00580	MR16 LED Modul	3CCT	5W	50W	430Lm	220-240VAC	110°	100
BA23-00780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	110°	100

NEW



3CCT

MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°-120°)	VOLTAGE	ANGLE	PCS/CTN
BA23-10580	MR16 LED Modul	3CCT	5W	50W	380Lm	220-240VAC	45°	100
BA23-10780	MR16 LED Modul	3CCT	7W	70W	700Lm	220-240VAC	60°	100

NEW



3CCT

MODEL NO	TYPE	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA23-31081	MR16 LED Modul	3CCT	10W	70W	1000Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00550	MR16	GU10	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00551	MR16	GU10	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00553	MR16	GU10	6500K	5W	50W	430Lm	220-240VAC	110°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12.500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00650	MR16	GU10	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00651	MR16	GU10	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00653	MR16	GU10	6500K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00750	MR16	GU10	3000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00751	MR16	GU10	4000K	7W	70W	580Lm	220-240VAC	110°	100
BA24-00753	MR16	GU10	6500K	7W	70W	580Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA24-00560	MR16	GU5.3	3000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00561	MR16	GU5.3	4000K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00563	MR16	GU5.3	6500K	5W	50W	430Lm	220-240VAC	110°	100
BA24-00660	MR16	GU5.3	3000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00661	MR16	GU5.3	4000K	6.5W	70W	550Lm	220-240VAC	110°	100
BA24-00663	MR16	GU5.3	6500K	6.5W	70W	550Lm	220-240VAC	110°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00550	MR16	GU10	3000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00551	MR16	GU10	4000K	5W	50W	380Lm	220-240VAC	38°	100
BA25-00553	MR16	GU10	6500K	5W	50W	380Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00650	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00651	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00653	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00750	MR16	GU10	3000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00751	MR16	GU10	4000K	7W	70W	530Lm	220-240VAC	38°	100
BA25-00753	MR16	GU10	6500K	7W	70W	530Lm	220-240VAC	38°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 on/off > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00660	MR16	GU10	3000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00661	MR16	GU10	4000K	6.5W	70W	500Lm	220-240VAC	38°	100
BA25-00663	MR16	GU10	6500K	6.5W	70W	500Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA25-00754	MR16	GU10	Red	7W	/	/	220-240VAC	38°	100
BA25-00755	MR16	GU10	Green	7W	/	/	220-240VAC	38°	100
BA25-00756	MR16	GU10	Blue	7W	/	/	220-240VAC	38°	100
BA25-00757	MR16	GU10	Amber	7W	/	/	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA25-30460	MR16	GU5.3	3000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30461	MR16	GU5.3	4000K	4.5W	50W	360Lm	12VAC	38°	100
BA25-30463	MR16	GU5.3	6500K	4.5W	50W	360Lm	12VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-00650	MR16	GU10	3000K	6.5W	70W	630Lm	220-240VAC	38°	100
BA26-00651	MR16	GU10	4000K	6.5W	70W	630Lm	220-240VAC	38°	100
BA26-00653	MR16	GU10	6500K	6.5W	70W	630Lm	220-240VAC	38°	100

CE LVD EMC ErP COMPLIANT RoHS 2011/65/EU Hg 0.0mg IP 20 > 12.500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA26-60650	MR16 Dim.	GU10	3000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60651	MR16 Dim.	GU10	4000K	6W	70W	450Lm	220-240VAC	38°	100
BA26-60653	MR16 Dim.	GU10	6500K	6W	70W	450Lm	220-240VAC	38°	100

DIMMABLE



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-00550	MR16	GU10	3000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00551	MR16	GU10	4000K	4.8W	50W	350Lm	220-240VAC	38°	100
BA27-00553	MR16	GU10	6500K	4.8W	50W	350Lm	220-240VAC	38°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 90°)	VOLTAGE	ANGLE	PCS/CTN
BA27-60650	MR16-Dimmable	GU10	3000K	5.5W	50W	400Lm	220-240VAC	38°	100
BA27-60651	MR16-Dimmable	GU10	4000K	5.5W	50W	400Lm	220-240VAC	38°	100

DIMMABLE



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00390	G9-Dimmable	G9	3000K	3W	20W	260Lm	220-240VAC	240°	250
BA29-00393	G9-Dimmable	G9	6500K	3W	20W	260Lm	220-240VAC	240°	250

DIMMABLE

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 on/off > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00590	G9	G9	3000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00591	G9	G9	4000K	5W	45W	430Lm	220-240VAC	240°	250
BA29-00593	G9	G9	6500K	5W	45W	430Lm	220-240VAC	240°	250

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00690	G9	G9	3000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00691	G9	G9	4000K	6.5W	45W	580Lm	220-240VAC	240°	250
BA29-00693	G9	G9	6500K	6.5W	45W	580Lm	220-240VAC	240°	250

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA29-00990	G9	G9	3000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00991	G9	G9	4000K	9W	60W	806Lm	220-240VAC	240°	250
BA29-00993	G9	G9	6500K	9W	60W	806Lm	220-240VAC	240°	250



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA35-00410	C35-Tail	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00413	C35-Tail	E14	6500K	4W	40W	470Lm	220-240VAC	300°	100
BA35-00610	C35-Tail	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA35-00613	C35-Tail	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00410	C35	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00610	C35	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA36-00613	C35	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100

NEW



DIMMABLE

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-60410	C35-Dimmable	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-60610	C35-Dimmable	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA36-00420	C35	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA36-00620	C35	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00410	P45	E14	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00610	P45	E14	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00613	P45	E14	6500K	6W	50W	630Lm	220-240VAC	300°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 on/off > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA37-00420	G45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100
BA37-00620	G45	E27	3000K	6W	50W	630Lm	220-240VAC	300°	100
BA37-00623	G45	E27	6500K	6W	50W	630Lm	220-240VAC	300°	100

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-00720	A60	E27	3000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00721	A60	E27	4000K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00723	A60	E27	6500K	7W	60W	806Lm	220-240VAC	300°	100
BA38-00920	A60	E27	3000K	9W	75W	1055Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-60820	A60-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	300°	100

DIMMABLE

NEW



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA38-01320	A65	E27	3000K	13W	100W	1520Lm	220-240VAC	300°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12.500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA39-00420	T45	E27	3000K	4W	40W	470Lm	220-240VAC	300°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA41-60820	G95-Dimmable	E27	3000K	8W	60W	806Lm	220-240VAC	360°	20

DIMMABLE



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA46-00720	ST64	E27	3000K	7W	60W	806Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB36-00410	C35-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB36-60410	C35-Amber-Dimmable	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100

DIMMABLE



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB37-00410	P45-Amber	E14	2200K	4W	32W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB37-00420	G45-Amber	E27	2200K	4W	32W	360Lm	220-240VAC	360°	100



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB39-00420	T45	E27	2200K	4W	32W	360Lm	220-240VAC	360°	100

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12.500 -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-00620	ST64-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



DIMMABLE

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB46-60620	ST64-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-00620	G95-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



DIMMABLE

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB47-60620	G95-Amber-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB48-00620	G125-Amber	E27	2200K	6W	45W	540Lm	220-240VAC	360°	20



DIMMABLE

MODEL NO	TYPE	SOCKET	CCT	WATT	EQUIVALENT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BB62-60620	T30-200-Dimmable	E27	2200K	6W	45W	540Lm	220-240VAC	360°	50



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-00680	T8/0.6mt	Double Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-00681	T8/0.6mt	Double Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-00683	T8/0.6mt	Double Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01280	T8/1.2mt	Double Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-01281	T8/1.2mt	Double Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-01283	T8/1.2mt	Double Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12.500 -20℃ +40℃

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-01580	T8/1.5mt	Double Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-01581	T8/1.5mt	Double Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-01583	T8/1.5mt	Double Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-20680	T8/0.6mt	Single Side	G13	3000K	9W	900Lm	220-240VAC	270°	25
BA52-20681	T8/0.6mt	Single Side	G13	4000K	9W	900Lm	220-240VAC	270°	25
BA52-20683	T8/0.6mt	Single Side	G13	6500K	9W	900Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21280	T8/1.2mt	Single Side	G13	3000K	18W	1800Lm	220-240VAC	270°	25
BA52-21281	T8/1.2mt	Single Side	G13	4000K	18W	1800Lm	220-240VAC	270°	25
BA52-21283	T8/1.2mt	Single Side	G13	6500K	18W	1800Lm	220-240VAC	270°	25



MODEL NO	TYPE	CONNECTION	SOCKET	CCT	WATT	LUMEN(Φuse 360°)	VOLTAGE	ANGLE	PCS/CTN
BA52-21580	T8/1.5mt	Single Side	G13	3000K	24W	2440Lm	220-240VAC	270°	25
BA52-21581	T8/1.5mt	Single Side	G13	4000K	24W	2440Lm	220-240VAC	270°	25
BA52-21583	T8/1.5mt	Single Side	G13	6500K	24W	2440Lm	220-240VAC	270°	25

CE LVD EMC ErP COMPLIANT RoHS Hg 0.0mg IP 20 > 12,500 -20°C +40°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

LED STRIP LIGHT

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00300	Ecoline	5050	3000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00301	Ecoline	5050	4000K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00303	Ecoline	5050	6500K	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00304	Ecoline	5050	Red	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00305	Ecoline	5050	Green	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00306	Ecoline	5050	Blue	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00307	Ecoline	5050	Amber	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00309	Ecoline	5050	RGB	12W	60 Led	12VDC	IP20	250 Mt	10 mm
BS01-00409	Ecoline	5050	RGB	12W	60 Led	12VDC	IP54	250 Mt	10 mm



IP54

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00310	Ecoline	5050	3000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00311	Ecoline	5050	4000K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00313	Ecoline	5050	6500K	12W	60 Led	24VDC	IP20	250 Mt	10 mm
BS01-00319	Ecoline	5050	RGB	12W	60 Led	24VDC	IP20	250 Mt	10 mm



NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00700	Ecoline	2835	3000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00701	Ecoline	2835	4000K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00703	Ecoline	2835	6500K	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00704	Ecoline	2835	RED	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00705	Ecoline	2835	GREEN	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00706	Ecoline	2835	BLUE	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00707	Ecoline	2835	AMBER	8W	60 Led	12VDC	IP20	200 Mt	8 mm
BS01-00710	Ecoline	2835	3000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00711	Ecoline	2835	4000K	8W	60 Led	24VDC	IP20	200 Mt	8 mm
BS01-00713	Ecoline	2835	6500K	8W	60 Led	24VDC	IP20	200 Mt	8 mm



NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00800	Ecoline	2835	3000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00801	Ecoline	2835	4000K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00803	Ecoline	2835	6500K	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00804	Ecoline	2835	RED	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00805	Ecoline	2835	GREEN	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00806	Ecoline	2835	BLUE	12W	120 Led	12VDC	IP20	200 Mt	8 mm
BS01-00810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP20	200 Mt	8 mm
BS01-00813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP20	200 Mt	8 mm



CE LVD RoHS

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01210	Plusline	2835	3000K	13W	168 Led	24VDC	IP20	200 Mt	10 mm
BS01-01211	Plusline	2835	4000K	13W	168 Led	24VDC	IP20	200 Mt	10 mm
BS01-01213	Plusline	2835	6500K	13W	168 Led	24VDC	IP20	200 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00910	Plusline	2835	3000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00911	Plusline	2835	4000K	16W	180 Led	24VDC	IP20	200 Mt	10 mm
BS01-00913	Plusline	2835	6500K	16W	180 Led	24VDC	IP20	200 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01410	Plusline	2835	3000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01411	Plusline	2835	4000K	20W	240 Led	24VDC	IP20	200 Mt	10 mm
BS01-01413	Plusline	2835	6500K	20W	240 Led	24VDC	IP20	200 Mt	10 mm

NEW



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-10810	Ecoline	2835	3000K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10811	Ecoline	2835	4000K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10813	Ecoline	2835	6500K	12W	120 Led	24VDC	IP54	200 Mt	10 mm
BS01-10910	Plusline	2835	3000K	16W	180 Led	24VDC	IP54	200 Mt	10 mm
BS01-10911	Plusline	2835	4000K	16W	180 Led	24VDC	IP54	200 Mt	10 mm
BS01-10913	Plusline	2835	6500K	16W	180 Led	24VDC	IP54	200 Mt	10 mm



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-01418	Plusline	5050	RGBW+CW	12W	96 Led	24VDC	IP20	100 Mt	12 mm

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03000	Strip	320D	3000K	10W	12VDC	IP20	600 Mt	8 mm
BS01-03001	Strip	320D	4000K	10W	12VDC	IP20	600 Mt	8 mm
BS01-03003	Strip	320D	6500K	10W	12VDC	IP20	600 Mt	8 mm





MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-03010	Strip	320D	3000K	10W	24VDC	IP20	600 Mt	8 mm
BS01-03011	Strip	320D	4000K	10W	24VDC	IP20	600 Mt	8 mm
BS01-03013	Strip	320D	6500K	10W	24VDC	IP20	600 Mt	8 mm





MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00710	Strip	360L	3000K	12W	220-240VAC	IP65	50 Mt	10 mm
BS02-00711	Strip	360L	4000K	12W	220-240VAC	IP65	50 Mt	10 mm
BS02-00713	Strip	360L	6500K	12W	220-240VAC	IP65	50 Mt	10 mm



IP65



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00700	Strip	220L	3000K	8W	220-240VAC	IP54	100 Mt	9 mm
BS02-00701	Strip	220L	4000K	8W	220-240VAC	IP54	100 Mt	9 mm
BS02-00703	Strip	220L	6500K	8W	220-240VAC	IP54	100 Mt	9 mm



IP54



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00010	Neon	2835	3000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00011	Neon	2835	4000K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00013	Neon	2835	6500K	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00014	Neon	2835	RED	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00015	Neon	2835	GREEN	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00016	Neon	2835	BLUE	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm
BS02-00017	Neon	2835	AMBER	6W	120 Led	220-240VAC	IP65	100 Mt	8 mm



IP65

CE LVD RoHS

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00508	Ecoline	5050	RGB	10W	96 Led	220-240VAC	IP54	100 Mt	16 mm
BS01-00509	Ecoline	5050	RGB	13W	120 Led	220-240VAC	IP54	100 Mt	16 mm



IP54



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00500	Ecoline	2835	3000K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00501	Ecoline	2835	4000K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00503	Ecoline	2835	6500K	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00504	Ecoline	2835	RED	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00505	Ecoline	2835	GREEN	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00506	Ecoline	2835	BLUE	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm
BS01-00507	Ecoline	2835	AMBER	8W	120 Led	220-240VAC	IP54	100 Mt	15 mm



IP54



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS01-00510	Ecoline	2835	3000K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00511	Ecoline	2835	4000K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00513	Ecoline	2835	6500K	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00514	Ecoline	2835	RED	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00515	Ecoline	2835	GREEN	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00516	Ecoline	2835	BLUE	12W	180 Led	220-240V	IP54	100 Mt	16 mm
BS01-00517	Ecoline	2835	AMBER	12W	180 Led	220-240V	IP54	100 Mt	16 mm



IP54



MODEL NO	TYPE	LED TYPE	CCT	WATT/MT	LED QTY/MT	VOLTAGE	IP	MT/CARTON	WIDTH
BS02-00510	Ecoline	2835	3000K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00511	Ecoline	2835	4000K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00513	Ecoline	2835	6500K	8W	120 Led	220-240V	IP54	100 Mt	9 mm
BS02-00530	Ecoline	2835	3000K	13W	240 Led	220-240V	IP54	100 Mt	13 mm
BS02-00531	Ecoline	2835	4000K	13W	240 Led	220-240V	IP54	100 Mt	13 mm
BS02-00533	Ecoline	2835	6500K	13W	240 Led	220-240V	IP54	100 Mt	13 mm



IP54

CE LVD RoHS

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW

BS01-99908

RGB Controller

Max.800W For BS01-00509



NEW

BS01-99909

RGB Controller

Max.800W For Neon Led Strip



NEW

BS01-99906
BS01-99907

Power Cord 8A
For 120Led&180Led
PC



NEW

BS01-99930

Power Cord 8A
For 240Led
PC



NEW

BS02-90001

Power Cord 8A
For Neon Led Strip
PC



NEW

BS01-99903

End Cap+Clip Connector set
120L
PC



NEW

BS02-99931

End Cap+Clip Connector set
240L
PC



NEW

BS02-90020

End Cap+Clip Connector set
Neon Led Strip 8x16
PC



NEW

BS02-99900

Power Cord L9
220L
PC



NEW

BS02-99940

Power Cord 8A
5.5X10.5
PC



NEW

BS02-99902
BS02-99941

End Cap L9
220L
PC



NEW

BS02-99903
BS02-99944

Middle Connector L9
220L
PC



NEW

BS02-99901
BS02-99942

Clip L9
220L
PC

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-00250	25W	12VDC	2A	>0.5	220-240VAC	IP20	Aluminium	85x57x34mm	60
BY02-00600	60W	12VDC	5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32mm	60
BY02-01000	100W	12VDC	8.3A	>0.5	220-240VAC	IP20	Aluminium	190x46x35mm	60
BY02-01500	150W	12VDC	12.5A	>0.5	220-240VAC	IP20	Aluminium	200x46x37mm	60
BY02-02000	200W	12VDC	16.5A	>0.5	220-240VAC	IP20	Aluminium	200x58x40mm	40
BY02-02500	250W	12VDC	21A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-03500	350W	12VDC	29A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-10250	25W	24VDC	1A	>0.5	220-240VAC	IP20	Aluminium	86x58x33mm	60
BY02-10600	60W	24VDC	2.5A	>0.5	220-240VAC	IP20	Aluminium	160x40x32mm	60
BY02-11000	100W	24VDC	4.2A	>0.5	220-240VAC	IP20	Aluminium	190x47x35mm	60
BY02-11500	150W	24VDC	6.2A	>0.5	220-240VAC	IP20	Aluminium	200x46x37mm	60
BY02-12500	250W	24VDC	10.5A	>0.5	220-240VAC	IP20	Aluminium	220x68x40mm	40
BY02-13500	350W	24VDC	14.5A	>0.5	220-240VAC	IP20	Aluminium	222x68x41mm	40
BY02-15000	500W	24VDC	20.8A	>0.5	220-240VAC	IP20	Aluminium	215x50x115mm	20



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-20600	60W	24VDC	2.5A	>0.5	220-240V	IP20	Aluminium	150x35x23mm	60
BY02-21000	100W	24VDC	4.2A	>0.5	220-240V	IP20	Aluminium	143x48x23mm	60
BY02-21500	150W	24VDC	6.2A	>0.5	220-240V	IP20	Aluminium	185x48x23mm	60
BY02-22000	200W	24VDC	8.2A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-22500	250W	24VDC	10.5A	>0.5	220-240V	IP20	Aluminium	210x63x25mm	40
BY02-23500	350W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40
BY02-24000	400W	24VDC	14.5A	>0.5	220-240V	IP20	Aluminium	226x63x28mm	40



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY01-00600	60W	24VDC	2.5A	>0.5	170-265VAC	IP67	Aluminium	130x44x21mm	50
BY01-01000	100W	24VDC	4.1A	>0.5	170-265VAC	IP67	Aluminium	170x65x31mm	30
BY01-01500	150W	24VDC	6.25A	>0.5	170-265VAC	IP67	Aluminium	190x65x31mm	20
BY01-02000	200W	24VDC	8.3A	>0.5	170-265VAC	IP67	Aluminium	210x65x31mm	20
BY01-02500	250W	24VDC	10A	>0.5	170-265VAC	IP67	Aluminium	210x65x31mm	10
BY01-03000	300W	24VDC	12.5A	>0.5	170-265VAC	IP67	Aluminium	230x75x40mm	40
BY01-04000	400W	24VDC	16.5A	>0.5	170-265VAC	IP67	Aluminium	250x75x40mm	40

IP67



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY03-22000	200W	48VDC	4A	>0.5	220-240V	IP20	Aluminium	255x49x30mm	56
BY03-23500	350W	48VDC	7.2A	>0.5	220-240V	IP20	Aluminium	255x60x30mm	42

CE LVD EMC RoHS IP20

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	MAX.WATT	OUTPUT VOLTAGE	OUTPUT CURRENT	P.F.	VOLTAGE	IP	MATERIAL	DIMENSIONS	PCS/CTN
BY02-30600	60W	24VDC	2.5A	>0.5	170-265VAC	IP20	Aluminium	150X53X21mm	100
BY02-31000	100W	24VDC	4.1A	>0.5	170-265VAC	IP20	Aluminium	170x53x21mm	100
BY02-31500	150W	24VDC	6.25A	>0.5	170-265VAC	IP20	Aluminium	210X53X21mm	50
BY02-32000	200W	24VDC	8.3A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-32500	250W	24VDC	10.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-33000	300W	24VDC	12.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-33500	350W	24VDC	14.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-34000	400W	24VDC	16.5A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-40600	60W	12VDC	5A	>0.5	170-265VAC	IP20	Aluminium	150X53X21mm	100
BY02-41000	100W	12VDC	8.3A	>0.5	170-265VAC	IP20	Aluminium	170x53x21mm	100
BY02-41500	150W	12VDC	12.5A	>0.5	170-265VAC	IP20	Aluminium	210X53X21mm	50
BY02-42500	250W	12VDC	21A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50
BY02-43500	350W	12VDC	29A	>0.5	170-265VAC	IP20	Aluminium	308x53x21mm	50



MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01120	Controller	216W	18A	12/24VDC	220-240VAC	ABS	100





MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01130	Controller	72W	6A	12/24VDC	220-240VAC	ABS	200





MODEL NO	TYPE	WATT	OUTPUT CURRENT	OUTPUT VOLTAGE	VOLTAGE	MATERIAL	PCS/CTN
BY30-01140	Controller	480W	4A/CH	12/24VDC	220-240VAC	PC	100





MODEL NO	MAX.WATT	INPUT VOLTAGE	OUTPUT	IP	MATERIAL	PCS/CTN
BY35-30130	3W	220-240V	3.7V 2200mAh	IP20	PC	50
BY35-30230	5W	220-240V	7.4V 2200mAh	IP20	PC	50



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01010	MS01	PIR	IP20	220-240VAC	2000W (Halogen)	500W (CFL)	800W (LED)	0.45W (Static 0.1W)	5 Sec. - 5 Min (Adjustable)	360°

DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
8 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.5-3.5 Mt	-20° - +40°	%93 RH	PC	50







SENSOR

MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01030	MS03	PIR	IP44	220-240VAC	800W (Halogen)	400W (LED)	0.5W (Static 0.1W)	5 Sec. - 8 Min (Adjustable)	180°

DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
25 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.8-2.5 Mt	-20° - +40°	%93 RH	PC	50







SENSOR

IP44

MODEL NO	TYPE	SENSOR TYPE	IP	INPUT VOLTAGE	RATED LOAD	RATED LOAD	POWER CONSUMPTION	TIME DELAY	DETECTION ANGLE
BY31-01040	MS04	PIR	IP20	220-240VAC	800W (Halogen)	400W (LED)	0.45W (Static 0.1W)	5 Sec. - 5 Min (Adjustable)	360°

DETECTION DISTANCE	DETECTION SPEED	AMBIENT LIGHT	INSTALLATION HEIGHT	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
6 Mt Max. 24°	0.6 - 1.5 m/s	5-2000 LUX	1.5 - 3.5 Mt	-20° - +40°	%93 RH	PC	100







SENSOR

CE LVD EMC RoHS IP20

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03010	PS01	220-240VAC	Max. 1000W	6A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100





IP44

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03020	PS01	220-240VAC	Max. 1800W	10A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100





IP44

MODEL NO	TYPE	INPUT POWER	RATED LOAD	AMPER	AMBIENT LIGHT	ELECTRICAL PROTECTION CLASS	PROTECTION DEGREE	WORKING TEMPERATURE	WORKING HUMIDITY	MATERIAL	PCS/CTN
BY31-03040	PS03	220-240VAC	Max. 3000W	25A	<2 - 100 Lux	Class II	IP44	-20° - +40°	< %93RH	PC	100





IP44

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00110	2-Wires	White	1 Mt	Copper	Aluminium	20
BY40-00120	2-Wires	White	2 Mt	Copper	Aluminium	20
BY40-00130	2-Wires	White	3 Mt	Copper	Aluminium	20



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00111	2-Wires	Black	1 Mt	Copper	Aluminium	20
BY40-00121	2-Wires	Black	2 Mt	Copper	Aluminium	20
BY40-00131	2-Wires	Black	3 Mt	Copper	Aluminium	20



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00210	4-Wires	White	1 Mt	Copper	Aluminium	10
BY40-00220	4-Wires	White	2 Mt	Copper	Aluminium	10



MODEL NO	TYPE	BODY COLOR	LENGTH	WIRE	MATERIAL	PCS/CTN
BY40-00211	4-Wires	Black	1 Mt	Copper	Aluminium	10
BY40-00221	4-Wires	Black	2 Mt	Copper	Aluminium	10
BY40-00231	4-Wires	Black	3 Mt	Copper	Aluminium	10

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00230	2-Wires	White	Copper	PC	250
BY40-00231	2-Wires	Black	Copper	PC	250



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00240	2-Wires	White	Copper	PC	250
BY40-00241	2-Wires	Black	Copper	PC	250



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00330	4-Wires	White	Copper	PC	100
BY40-00331	4-Wires	Black	Copper	PC	100



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00340	4-Wires	White	Copper	PC	200
BY40-00341	4-Wires	Black	Copper	PC	200



MODEL NO	TYPE	BODY COLOR	WIRE	MATERIAL	PCS/CTN
BY40-00350	4-Wires	White	Copper	PC	250
BY40-00351	4-Wires	Black	Copper	PC	250

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com


ELECTRICAL

SWITCHGEARS

MCB, DPN, RCCB & INDICATORS

5 YEARS WARRANTY










MODEL NO DEFINITION

B X G X - X X XX

- RATED CURRENT
- RELEASE TYPE
- POLES (1=1P, 2=2P, 3=3P, 4=P)
- BREAKING CAPACITY (1=4.5kA, 2=6kA, 3=10kA)
- GENERATION
- TYPE (M=MCB, R=RCCB, O=RCBO, C=MCCB)
- VENDOR CODE

IEC/EN60898-1
IEC/EN60947-2
IEC/EN61008-1

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01106	BMG2-1 C06	C	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01110	BMG2-1 C10	C	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01116	BMG2-1 C16	C	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01120	BMG2-1 C20	C	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01125	BMG2-1 C25	C	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01132	BMG2-1 C32	C	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01140	BMG2-1 C40	C	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01150	BMG2-1 C50	C	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01163	BMG2-1 C63	C	6kA	1P	63A	63A	240/415V~	50/60Hz	120



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01206	BMG2-2 C06	C	6kA	2P	6A	63A	415V~	50/60Hz	60
BY80-01210	BMG2-2 C10	C	6kA	2P	10A	63A	415V~	50/60Hz	60
BY80-01216	BMG2-2 C16	C	6kA	2P	16A	63A	415V~	50/60Hz	60
BY80-01220	BMG2-2 C20	C	6kA	2P	20A	63A	415V~	50/60Hz	60
BY80-01225	BMG2-2 C25	C	6kA	2P	25A	63A	415V~	50/60Hz	60
BY80-01232	BMG2-2 C32	C	6kA	2P	32A	63A	415V~	50/60Hz	60
BY80-01240	BMG2-2 C40	C	6kA	2P	40A	63A	415V~	50/60Hz	60
BY80-01250	BMG2-2 C50	C	6kA	2P	50A	63A	415V~	50/60Hz	60
BY80-01263	BMG2-2 C63	C	6kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01306	BMG2-3 C06	C	6kA	3P	6A	63A	415V~	50/60Hz	40
BY80-01310	BMG2-3 C10	C	6kA	3P	10A	63A	415V~	50/60Hz	40
BY80-01316	BMG2-3 C16	C	6kA	3P	16A	63A	415V~	50/60Hz	40
BY80-01320	BMG2-3 C20	C	6kA	3P	20A	63A	415V~	50/60Hz	40
BY80-01325	BMG2-3 C25	C	6kA	3P	25A	63A	415V~	50/60Hz	40
BY80-01332	BMG2-3 C32	C	6kA	3P	32A	63A	415V~	50/60Hz	40
BY80-01340	BMG2-3 C40	C	6kA	3P	40A	63A	415V~	50/60Hz	40
BY80-01350	BMG2-3 C50	C	6kA	3P	50A	63A	415V~	50/60Hz	40
BY80-01363	BMG2-3 C63	C	6kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01406	BMG2-4 C06	C	6kA	4P	6A	63A	415V~	50/60Hz	30
BY80-01410	BMG2-4 C10	C	6kA	4P	10A	63A	415V~	50/60Hz	30
BY80-01416	BMG2-4 C16	C	6kA	4P	16A	63A	415V~	50/60Hz	30
BY80-01420	BMG2-4 C20	C	6kA	4P	20A	63A	415V~	50/60Hz	30
BY80-01425	BMG2-4 C25	C	6kA	4P	25A	63A	415V~	50/60Hz	30
BY80-01432	BMG2-4 C32	C	6kA	4P	32A	63A	415V~	50/60Hz	30
BY80-01440	BMG2-4 C40	C	6kA	4P	40A	63A	415V~	50/60Hz	30
BY80-01450	BMG2-4 C50	C	6kA	4P	50A	63A	415V~	50/60Hz	30
BY80-01463	BMG2-4 C63	C	6kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00106	BMG1-1 C06	C	4.5kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-00110	BMG1-1 C10	C	4.5kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-00116	BMG1-1 C16	C	4.5kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-00120	BMG1-1 C20	C	4.5kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-00125	BMG1-1 C25	C	4.5kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-00132	BMG1-1 C32	C	4.5kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-00140	BMG1-1 C40	C	4.5kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-00150	BMG1-1 C50	C	4.5kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-00163	BMG1-1 C63	C	4.5kA	1P	63A	63A	240/415V~	50/60Hz	120



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00206	BMG1-2 C06	C	4.5kA	2P	6A	63A	415V~	50/60Hz	60
BY80-00210	BMG1-2 C10	C	4.5kA	2P	10A	63A	415V~	50/60Hz	60
BY80-00216	BMG1-2 C16	C	4.5kA	2P	16A	63A	415V~	50/60Hz	60
BY80-00220	BMG1-2 C20	C	4.5kA	2P	20A	63A	415V~	50/60Hz	60
BY80-00225	BMG1-2 C25	C	4.5kA	2P	25A	63A	415V~	50/60Hz	60
BY80-00232	BMG1-2 C32	C	4.5kA	2P	32A	63A	415V~	50/60Hz	60
BY80-00240	BMG1-2 C40	C	4.5kA	2P	40A	63A	415V~	50/60Hz	60
BY80-00250	BMG1-2 C50	C	4.5kA	2P	50A	63A	415V~	50/60Hz	60
BY80-00263	BMG1-2 C63	C	4.5kA	2P	63A	63A	415V~	50/60Hz	60



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00306	BMG1-3 C06	C	4.5kA	3P	6A	63A	415V~	50/60Hz	40
BY80-00310	BMG1-3 C10	C	4.5kA	3P	10A	63A	415V~	50/60Hz	40
BY80-00316	BMG1-3 C16	C	4.5kA	3P	16A	63A	415V~	50/60Hz	40
BY80-00320	BMG1-3 C20	C	4.5kA	3P	20A	63A	415V~	50/60Hz	40
BY80-00325	BMG1-3 C25	C	4.5kA	3P	25A	63A	415V~	50/60Hz	40
BY80-00332	BMG1-3 C32	C	4.5kA	3P	32A	63A	415V~	50/60Hz	40
BY80-00340	BMG1-3 C40	C	4.5kA	3P	40A	63A	415V~	50/60Hz	40
BY80-00350	BMG1-3 C50	C	4.5kA	3P	50A	63A	415V~	50/60Hz	40
BY80-00363	BMG1-3 C63	C	4.5kA	3P	63A	63A	415V~	50/60Hz	40



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-00406	BMG1-4 C06	C	4.5kA	4P	6A	63A	415V~	50/60Hz	30
BY80-00410	BMG1-4 C10	C	4.5kA	4P	10A	63A	415V~	50/60Hz	30
BY80-00416	BMG1-4 C16	C	4.5kA	4P	16A	63A	415V~	50/60Hz	30
BY80-00420	BMG1-4 C20	C	4.5kA	4P	20A	63A	415V~	50/60Hz	30
BY80-00425	BMG1-4 C25	C	4.5kA	4P	25A	63A	415V~	50/60Hz	30
BY80-00432	BMG1-4 C32	C	4.5kA	4P	32A	63A	415V~	50/60Hz	30
BY80-00440	BMG1-4 C40	C	4.5kA	4P	40A	63A	415V~	50/60Hz	30
BY80-00450	BMG1-4 C50	C	4.5kA	4P	50A	63A	415V~	50/60Hz	30
BY80-00463	BMG1-4 C63	C	4.5kA	4P	63A	63A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01391	BMG2-3 C100	C	6kA	3P	100A	100A	415V~	50/60Hz	20



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01480	BMG2-4 C80	C	6kA	4P	80A	100A	415V~	50/60Hz	20
BY80-01491	BMG2-4 C100	C	6kA	4P	100A	100A	415V~	50/60Hz	20
BY80-01492	BMG2-4 C125	C	6kA	4P	125A	125A	415V~	50/60Hz	20



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-01506	BMG2-1 B06	B	6kA	1P	6A	63A	240/415V~	50/60Hz	120
BY80-01510	BMG2-1 B10	B	6kA	1P	10A	63A	240/415V~	50/60Hz	120
BY80-01516	BMG2-1 B16	B	6kA	1P	16A	63A	240/415V~	50/60Hz	120
BY80-01520	BMG2-1 B20	B	6kA	1P	20A	63A	240/415V~	50/60Hz	120
BY80-01525	BMG2-1 B25	B	6kA	1P	25A	63A	240/415V~	50/60Hz	120
BY80-01532	BMG2-1 B32	B	6kA	1P	32A	63A	240/415V~	50/60Hz	120
BY80-01540	BMG2-1 B40	B	6kA	1P	40A	63A	240/415V~	50/60Hz	120
BY80-01550	BMG2-1 B50	B	6kA	1P	50A	63A	240/415V~	50/60Hz	120
BY80-01563	BMG2-1 B63	B	6kA	1P	63A	63A	240/415V~	50/60Hz	120



ITEM NO	MODEL NO	TYPE	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-02006	BMG1-D C06	C	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02010	BMG1-D C10	C	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02016	BMG1-D C16	C	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02020	BMG1-D C20	C	4.5kA	1P+N	20A	63A	240V~	50/60Hz	120
BY80-02025	BMG1-D C25	C	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02032	BMG1-D C32	C	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120
BY80-02106	BMG1-D B06	B	4.5kA	1P+N	6A	63A	240V~	50/60Hz	120
BY80-02110	BMG1-D B10	B	4.5kA	1P+N	10A	63A	240V~	50/60Hz	120
BY80-02116	BMG1-D B16	B	4.5kA	1P+N	16A	63A	240V~	50/60Hz	120
BY80-02125	BMG1-D B25	B	4.5kA	1P+N	25A	63A	240V~	50/60Hz	120
BY80-02132	BMG1-D B32	B	4.5kA	1P+N	32A	63A	240V~	50/60Hz	120

MCB-3P



MCB-4P





MCB-1P



DPN



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-03206	BRG3-2 01 06	10mA	10kA	2P	6A	63A	240V~	50/60Hz	60
BY80-03210	BRG3-2 01 10	10mA	10kA	2P	10A	63A	240V~	50/60Hz	60
BY80-03216	BRG3-2 01 16	10mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04216	BRG3-2 03 16	30mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-04225	BRG3-2 03 25	30mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-04240	BRG3-2 03 40	30mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-04263	BRG3-2 03 63	30mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-05216	BRG3-2 10 16	100mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-05225	BRG3-2 10 25	100mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-05240	BRG3-2 10 40	100mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-05263	BRG3-2 10 63	100mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-06216	BRG3-2 30 16	300mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-06225	BRG3-2 30 25	300mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-06240	BRG3-2 30 40	300mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-06263	BRG3-2 30 63	300mA	10kA	2P	63A	63A	240V~	50/60Hz	60
BY80-07216	BRG3-2 50 16	500mA	10kA	2P	16A	63A	240V~	50/60Hz	60
BY80-07225	BRG3-2 50 25	500mA	10kA	2P	25A	63A	240V~	50/60Hz	60
BY80-07240	BRG3-2 50 40	500mA	10kA	2P	40A	63A	240V~	50/60Hz	60
BY80-07263	BRG3-2 50 63	500mA	10kA	2P	63A	63A	240V~	50/60Hz	60



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04416	BRG3-4 03 16	30mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-04425	BRG3-4 03 25	30mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-04440	BRG3-4 03 40	30mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-04463	BRG3-4 03 63	30mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-05416	BRG3-4 10 16	100mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-05425	BRG3-4 10 25	100mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-05440	BRG3-4 10 40	100mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-05463	BRG3-4 10 63	100mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-06416	BRG3-4 30 16	300mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-06425	BRG3-4 30 25	300mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-06440	BRG3-4 30 40	300mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-06463	BRG3-4 30 63	300mA	10kA	4P	63A	63A	415V~	50/60Hz	30
BY80-07416	BRG3-4 50 16	500mA	10kA	4P	16A	63A	415V~	50/60Hz	30
BY80-07425	BRG3-4 50 25	500mA	10kA	4P	25A	63A	415V~	50/60Hz	30
BY80-07440	BRG3-4 50 40	500mA	10kA	4P	40A	63A	415V~	50/60Hz	30
BY80-07463	BRG3-4 50 63	500mA	10kA	4P	63A	63A	415V~	50/60Hz	30



TYPE AC

ITEM NO	MODEL NO	OPERATING CURRENT	BREAKING CAPACITY	POLES	RATED CURRENT	FRAME CLASS	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY80-04480	BRG3-4 03 80	30mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-04491	BRG3-4 03 100	30mA	10kA	4P	100A	100A	415V~	50/60Hz	30
BY80-06480	BRG3-4 30 80	300mA	10kA	4P	80A	80A	415V~	50/60Hz	30
BY80-06491	BRG3-4 30 100	300mA	10kA	4P	100A	100A	415V~	50/60Hz	30



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW







ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00010	BRG1- 1 1 4	RED	230V~	50/60Hz	120
BY81-00011	BRG1- 1 1 5	GREEN	230V~	50/60Hz	120
BY81-00012	BRG1- 1 1 6	YELLOW	230V~	50/60Hz	120





ITEM NO	MODEL NO	COLOR	RATED VOLTAGE	RATED FREQUENCY	PCS/CTN
BY81-00013	BRG1- 1 2 8	RED+GREEN	230V~	50/60Hz	120
BY81-00014	BRG1- 1 3 9	RED+YELLOW+GREEN	230V~	50/60Hz	120



ITEM NO	TYPE	OPERATING ACCURACY	TYPE OF DIAL	FUNCTION	POWER RESERVE (QRD, QRS)	TIME OF FUNCTION	SWITCHING CAPACITY	POWER CONSUMPTION	PCS/CTN
BY81-00110	Din-Rail-Timer	± 1 min/day at 22 °C	96 Pins	48 on/off	100 Hours	15 Min - 24hrs	16(4)A/250V~	0.5W	100

INDICATORS





INDUSTRIAL TIMER





*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW







BY72-00030

XLINE 3xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00031

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00033

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00035

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

NEW







BY72-00040

XLINE 4xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00041

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00043

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00045

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter

NEW







BY72-00060

XLINE 6xSocket
Max. 3680W 16A
Without cable White
IP20 Safety Shutter

BY72-00061

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 Safety Shutter

BY72-00063

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 Safety Shutter

BY72-00065

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 Safety Shutter



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



NEW







BY72-00230

XLINE 3xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00231

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G1.5mm / 1,5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00233

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3mCable
White IP20 ON/OFF
Safety Shutter

BY72-00235

XLINE 3xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

NEW







BY72-00240

XLINE 4xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00241

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00243

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00245

XLINE 4xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

NEW







BY72-00260

XLINE 6xSocket
Max. 3680W 16A
Without cable White
IP20 ON/OFF
Safety Shutter

BY72-00261

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G1.5mm2 / 1,5m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00263

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G3mm2 / 3m Cable
White IP20 ON/OFF
Safety Shutter

BY72-00265

XLINE 6xSocket
Max. 3680W 16A
H05VV-F3G5mm2 / 5m Cable
White IP20 ON/OFF
Safety Shutter

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BY72-02030

XLINE 3xSocket
16A White
IP20

NEW



BY72-02031

XLINE 3xSocket
16A White
IP20

NEW



BY74-00001

FM01
16A White
IP20

NEW



BY74-00002

ML01
16A White
IP20

NEW



BY74-00003

ML02
16A White
IP20

NEW



BY74-00004

SW01
16A White
IP20

NEW



BY74-00005

ML04
16A White
IP20

NEW



BY74-00006

ML03
16A White
IP20

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00350	CAT5e	4*2*(0.51CCA) 24AWG	UTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL



CAT5e U/UTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00360	CAT5e	4*2*(0.48Cu) 24AWG	UTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL



CAT5e U/FTP 4x2x24AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00370	CAT5e	4*2*(0.50Cu) 24AWG	FTP	HDPE	LSZH/PVC	GREY	Ø5.0mm	305M/ROLL



CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00390	CAT6	4*2*(0.53CCA) 23AWG	UTP	HDPE	LSZH/PVC	GREY	Ø6.0mm	305M/ROLL



CAT6 U/UTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00420	CAT6	4*2*(0.53Cu) 23AWG	UTP	HDPE	LSZH/PVC	GREY	Ø6.0mm	305M/ROLL

CE LVD RoHS -20°C +60°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



CAT6 U/FTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00430	CAT6	4*2*(0.53Cu) 23AWG	FTP	HDPE	LSZH/PVC	GREY	Ø7.0mm	305M/ROLL



CAT6 U/SFTP 4x2x23AWG



MODEL NO	CATEGORY	CONDUCTOR	SHIELDING	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00440	CAT6	4*2*(0.53Cu) 23AWG	SFTP	HDPE	LSZH/PVC	BLUE	Ø7.0mm	305M/ROLL



RG 59 COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00100	RG59	0.81CCS 20AWG	AL+PET FOIL+64x0.12ALMG	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL



RG 59 COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00130	RG59	0.81Cu 20AWG	CuAL+PET FOIL+96x0.12CCA	3.66FPE	PVC	WHITE	Ø5.9mm	100M x 6ROLL



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00190	RG6U	1.02CCS 18AWG	AL+PET FOIL+64x0.12ALMG	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00200	RG6U	1.02CCS 18AWG	AL+PET FOIL+112x0.12ALMG	4.57FPE	PVC	WHITE	Ø7.05mm	100M x 6ROLL

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00230	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	100M x 6ROLL



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00231	RG6U	1.02Cu 18AWG	CuAL+PET FOIL+96x0.12CCA	4.57FPE	PVC	WHITE	Ø6.8mm	500M x 1ROLL



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00260	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80X0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	100M x 6ROLL



RG 6U COAXIAL



MODEL NO	CATEGORY	CONDUCTOR	SCREEN	INSULATION	SHEATH	SHEATH COLOR	DIAMETER	LENGTH
BZ20-00261	RG6U	1.02Cu 18AWG	Cu+PET FOIL+80x0.12Cu	4.57FPE	PVC	BLACK+GREEN	Ø6.8mm	500M x 1ROLL

CE LVD RoHS -20°C +60°C

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

NEW



BZ01-00010

12W 4inch 34(dB)
100(m3/h)
White 220-240V
IPX2 ABS



NEW



BZ01-00020

16W 5inch 35(dB)
160(m3/h)
White 220-240V
IPX2 ABS



NEW



BZ01-00030

18W 6inch 37(dB)
260(m3/h)
White 220-240V
IPX2 ABS







BZ01-99990

Valve for 4inch



BZ01-99991

Valve for 5inch



BZ01-99992

Valve for 6inch

*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com



BY90-00302

SC302 2IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



BY90-00303

SC303 3IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



BY90-00305

SC305 5IN Grey
Current 32A
Cable Size 0.2-4mm²
IP20 PC



GU10-15

15cm GU10

Lampholder



MODEL NO	BT42-09000
HOUSING	PA
Metal PART	Brass
WATERPROOF O-RING	Silicone
RATED VOLTAGE	250V
RATED CURRENT	16A
CABLE RANGE	0.5-1.5mm2
CABLE OD	≤7mm
Operating Temp. range	-40°-+85°
WATERPROOF RATE	IP67
FIRE CLASSIFICATION	94V0
PCS/CARTON	500



*Technical information indicated above may have tolerance ±%10. For final updated information please visit website www.braytron.com

Braytron

LIGHTING & ELECTRICAL

PRODUCT CATALOGUE



BRAYTRON EUROPE

BRAYTRON S.R.L
Bd. Iuliu Maniu, Nr. 616, Sector 6
Corp B, Etaj 1, Bucharest, Romania
info@braytron.com

2025

www.braytron.com